



Artikelnummer	Artikelbeschreibung	Bestand	Neueingang
0501RD009.00S+U+C3.0	C35, rd 9,0 mm 3 m-Stäbe, +U+C	X	
0501SW014.00S+U+C3.0	C35, 6-kt 14,0 mm 3 m-Stäbe, +U+C	X	
0503AK010.00S+U+C4.0	C45, 8-kt 10,0 mm 4 m-Stäbe, +U+C	X	
0503AK018.00S+U+C4.0	C45, 8-kt 18,0 mm 4 m-Stäbe, +U+C	X	
0503AK020.00S+U+C4.0	C45, 8-kt 20,0 mm 4 m-Stäbe, +U+C	X	
0503FL080X10SGK6.0	C45, fl 80x10,0 mm, 6 m - Stäbe, AR+U, schmiede- + stauchfä	X	
0503RD004.00S+U+C3.0	C45, rd 4,00 mm 3 m-Stäbe, +U+C	X	
0503RD006.00S+U+C3.0	C45, rd 6,00 mm 3 m-Stäbe, +U+C	X	
0503RD007.00S+U+C3.0	C45, rd 7,00 mm 3 m-Stäbe, +U+C	X	
0503RD008.00S+U+C3.0	C45, rd 8,00 mm 3 m-Stäbe, +U+C	X	
0503RD010.00S+U+C3.0	C45, rd 10,00 mm 3 m-Stäbe, +U+C	X	
0503RD020.00S+U+C3.0	C45, rd 20,00 mm 3 m-Stäbe, +U+C	X	
0503RD025.00S+U+C3.0	C45, rd 25,00 mm 3 m-Stäbe, +U+C	X	
0503RD068.00S+U+SH+PL3.0	C45, rd 68,00 mm, 3 m-Stäbe, +U+SH+PL	X	
0503SW006.00S+U+C3.0	C45, 6-kt 6,00 mm 3 m-Stäbe, +U+C	X	
0504PBSW024.00SGK3.0	C45 Pb, 6-kt 24,00 mm 3 m-Stäbe, +U+C	X	
0601RD006.00R+AC+C+A+C500	C60, rd 6,00 mm 350kg- Ringe, +AC+C+A+C < 600 MPa, fettfrei	X	
0601RD011.20S+A+C3.0	C60, rd 11,20 mm 3 m-Stäbe, +A+C	X	
0601RD016.10S+A+C6.0	C60, rd 16,10 mm 6 m-Stäbe, +A+C	X	
0601SW002.500R+A+C+A+C100	C60, 6-kt 2,50 mm 100 kg- Ringe,+A+C+A+C	X	
0601SW005.00R+A+C+A+C100	C60, 6-kt 5,00 mm 100 kg- Ringe, +A+C+A+C	X	
0601SW006.00R+A+C+A+C100	C60, 6-kt 6,00 mm 100 kg- Ringe, +A+C+A+C	X	
0715RD020.00S+U+C3.0	11 SMn 30, rd 20,00 mm, 3 m-Stäbe, +U+C	X	
0715RD020.00SK3.0	11 SMn 30, rd 20,00 mm, 3 m-Stäbe, +U+C	X	
0718VK027.00S+U+C3.0	11 SMnPb 30, 4-kt, 27,00 mm 3 m-Stäbe, +U+C	X	
1201RD025.885S+U+SL+PL4.0	C45 R (ZF50), rd 25,885 mm 4 m-Stäbe, +U+SH+PL	X	
1201RD028.00S+U+SL+PL3.0	C45 R (ZF50), rd 28,00 mm 3 m-Stäbe, +U+SH+PL	X	
1221FL080.00X08S+AR+U6.0	C60E fl 80x8,0 mm 6 m -Stäbe AR+U schmiede- + stauchfähig	X	
1221FL080.00X10S+AR+U6.0	C60E fl 80x10,0 mm 6 m -Stäbe +AR +U schmiede- + stauchfähig	X	
1221FL100.00X08S+AR+U6.0	C60E fl 100x8,0 mm 6 m -Stäbe +AR +U schmiede- + stauchfähig	X	
1620RD020.00S+AR+U6.5	C70 W 2, rd 20,00 mm, 6,5 m-Stäbe, +AR+U	X	
1620RD022.00S+AR+U6.0	C70 W 2, rd 22,00 mm 6,0 m-Stäbe, +AR+U	X	
1620RD023.00S+AR+U6.0P	C70 W 2, rd 23,00 mm, 6,0 m-Stäbe, +AR+U, DIN 10060 P	X	
1620RD025.00S+AR+U6.5	C70 W 2, rd 25,00 mm, 6,3 - 6,5 m-Stäbe, +AR+U	X	
1620RD025.00S+AR+U6.P	C70 W 2, rd 25,00 mm, 6,0 m-Stäbe, +AR+U, DIN 10060 P	X	
1620RD026.00S+AR+U6.0	C70 W 2, rd 26,00 mm, 6,0 m-Stäbe, +AR+U	X	
1620RD026.00S+AR+U6.5	C70 W 2, rd 26,00 mm, 6,3 - 6,5 m-Stäbe, +AR+U	X	
1620RD027.00S+AR+U6.0P	C70 W 2, rd 27,00 mm, 6,0 m-Stäbe +AR+U, DIN 10060 P	X	
1620RD030.00S+AR+U6.0P	C70 W 2, rd 30,00 mm, 6,0 m-Stäbe +AR+U, gestr., DIN 10060 P	X	
1620RD031.00S+AR+U6.0P	C70 W 2, rd 31,00 mm, 6,0 m-Stäbe, +U+AR, DIN 10060 P	X	
1620RD031.00S+AR+U6.5	C70 W 2, rd 31,00 mm, 6,5 m-Stäbe, +U+AR	X	
1620RD035.00S+AR+U6.0P	C70 W 2, rd 35,00 mm, 6,0 m-Stäbe +AR+U, gestr., DIN 10060 P	X	
1620RD045.00S+AR+U6.0P	C70 W 2, rd 45,00 mm, 6,0 m-Stäbe +U+AR, DIN 10060 P	X	
1620SW020.50S+AR+U6.5	C70 W 2, 6-kt 20,50 mm, 6,5 m-Stäbe, +AR+U	X	
1620SW025.40S+A+C6.5	C70 W 2, 6-kt 25,40 mm 6,3 m-Stäbe, +A+C	X	
1620SW028.70S+A+C6.0	C70 W 2, 6-kt 28,70 mm, 6,0 m-Stäbe, +A+C	X	
1620SW031.50S+A+C6.0	C70 W 2, 6-kt 31,50 mm, 6,0 m-Stäbe, +A+C	X	
2208RD005.00S+U+C3.0	31 CrV 2, rd 5,00 mm, 3 m-Stäbe, +U+C	X	
2208RD007.00S+U+C3.0	31 CrV 2, rd 7,00 mm, 3 m-Stäbe +U+C	X	
2208RD007.00S+U+C3.0H11	31 CrV 2, rd 7,00 mm, 3 m-Stäbe +U+C	X	
2208RD008.00+A+C3.0GEF	31 CrV 2, rd 8,00 mm, 3 m-Stäbe +A+C gefast	X	
2208RD008.00S+A+C3.0H11	31 CrV 2, rd 8,00 mm, 3 m-Stäbe, +A+C	X	
2208RD008.10S+A+C3.0	31 CrV 2, rd 8,10 mm, 3 m-Stäbe, +A+C	X	
2208RD009.00+A+C3.0GEF	31 CrV 2, rd 9,00 mm, 3 m-Stäbe +A+C gefast		X
2208RD009.00S+A+C3.0	31 CrV 2, rd 9,00 mm, 3 m-Stäbe, +A+C	X	
2208RD011.00+A+C3.0GEF	31 CrV 2, rd 11,00 mm, 3 m-Stäbe +A+C gefast	X	
2208RD012.00+A+C3.0GEF	31 CrV 2, rd 12,00 mm, 3 m-Stäbe, +A+C, gefast	X	
2208RD012.00S+A+C3.0	31 CrV 2, rd 12,00 mm, 3 m-Stäbe, +A+C	X	
2208RD012.00SK3.0	31 CrV 2, rd 12,00 mm, 3 m-Stäbe, +A+C	X	
2208RD013.00+A+C3.0GEF	31 CrV 2, rd 13,00 mm, 3 m-Stäbe +A+C gefast		X
2208RD013.00S+A+C3.0	31 CrV 2, rd 13,00 mm, 3 m-Stäbe, +A+C	X	
2208RD014.00+A+C3.0GEF	31 CrV 2, rd 14,00 mm, 3 m-Stäbe +A+C gefast	X	
2208RD014.00S+A+C3.0	31 CrV 2, rd 14,00 mm, 3 m-Stäbe, +A+C	X	
2208RD014.50S+A+C3.0	31 CrV 2, rd 14,50 mm, 3 m-Stäbe, +A+C	X	
2208RD015.00S+A+C3.0	31 CrV 2, rd 15,00 mm, 3 m-Stäbe +A+C	X	
2208RD016.00S+A+C3.0	31 CrV 2, rd 16,00 mm, 3 m-Stäbe, +A+C	X	
2208RD017.00S+A+C3.0	31 CrV 2, rd 17,00 mm, 3 m-Stäbe, +A+C	X	
2208RD018.00+A+C3.0GEF	31 CrV 2, rd 18,00 mm, 3 m-Stäbe +A+C gefast		X
2208RD018.00S+A+C3.0	31 CrV 2, rd 18,00 mm, 3 m-Stäbe, +A+C	X	
2208RD019.00+A+C3.0GEF	31 CrV 2, rd 19,00 mm, 3 m-Stäbe +A+C gefast		X



Artikelnummer	Artikelbeschreibung	Bestand	Neueingang
2208RD020.00+A+C3.0GEF	31 CrV 2, rd 20,00 mm, 3 m-Stäbe +A+C, gefast	X	
2208RD020.00S+A+C3.0	31 CrV 2, rd 20,00 mm, 3 m-Stäbe +A+C	X	
2208RD020.00S+A+C4.0	31 CrV 2, rd 20,00 mm, 4 m-Stäbe, +A+C	X	
2208RD022.00+A+C3.0GEF	31 CrV 2, rd 22,00 mm, 3 m-Stäbe +A+C gefast	X	
2208RD022.00S+A+C3.0	31 CrV 2, rd 22,00 mm, 3 m-Stäbe, +A+C	X	
2208RD024.00+A+C3.0GEF	31 CrV 2, rd 24,00 mm, 3 m-Stäbe +A+C gefast	X	
2208RD024.00S+A+C3.0	31 CrV 2, rd 24,00 mm, 3 m-Stäbe, +A+C	X	
2208RD025.00+A+C3.0GEF	31 CrV 2, rd 25,00 mm, 3 m-Stäbe +A+C gefast	X	
2208RD025.00S+A+C3.0	31 CrV 2, rd 25,00 mm, 3 m-Stäbe, +A+C	X	
2208RD030.00+A+C3.0GEF	31 CrV 2, rd 30,00 mm, 3 m-Stäbe +A+C gefast	X	
2208RD032.00+A+C3.0GEF	31 CrV 2, rd 32,00 mm, 3 m-Stäbe +A+C gefast	X	
2208RD032.00S+A+C3.0	31 CrV 2, rd 32,00 mm, 3 m-Stäbe, +A+C	X	
2208RD036.00S+A+C3.0	31 CrV 2, rd 36,00 mm, 3 m-Stäbe, +A+C	X	
2208RD040.00+A+C3.0GEF	31 CrV 2, rd 40,00 mm, 3 m-Stäbe, +A+C	X	
2208RD040.00S+A+C3.0	31 CrV 2, rd 40,00 mm, 3 m-Stäbe, +A+C	X	
2208RD048.00+U+C3.0GEF	31 CrV 2, rd 48,00 mm, 3 m-Stäbe +U+C	X	
2210RD003.00S+AC+C+SL2.0	115 CrV 3, rd 3,00 mm 2 m-Stäbe, +AC+C+SL+PL	X	
2210RD003.20S+AC+C+SL2.0	115 CrV 3, rd 3,20 mm 2 m-Stäbe, +AC+C+SL+PL	X	
2210RD003.30S+AC+C+SL2.0	115 CrV 3, rd 3,30 mm 2 m-Stäbe, +AC+C+SL	X	
2210RD004.10S+AC+C+SL2.0	115 CrV 3, rd 4,10 mm 2 m-Stäbe, +AC+C+SL+PL	X	
2210RD004.10S+AC+C2.0	115 CrV 3, rd 4,10 mm 2,025 m-Stäbe, +AC+C	X	
2210RD005.00S+AC+C+SLS2.0	115 CrV 3, rd 5,00 mm 2 m-Stäbe, +A+C+SL+PL	X	
2210RD006.00S+AC+C+SL2.0	115 CrV 3, rd 6,00 mm 2 m-Stäbe, +A+C+SL+PL	X	
2210RD006.55S+AC+C2.0	115 CrV 3, rd 6,55 mm 2,025 m-Stäbe, +AC+C	X	
2210RD007.00S+AC+C+SL2.0	115 CrV 3, rd 7,00 mm 2 m-Stäbe, +AC+C+SL+PL	X	
2210RD008.00S+AC+C+SL2.0	115 CrV 3, rd 8,00 mm 2 m-Stäbe, +AC+C+SL+PL	X	
2210RD010.00S+AC+C+SL2.0	115 CrV 3, rd 10,00 mm 2 m-Stäbe, +AC+C+SL+PL	X	
2210RD011.00S+AC+C+SL2.0	115 CrV 3, rd 11,00 mm 2 m-Stäbe, +AC+C+SL+PL	X	
2210RD012.00S+AC+C+SL2.0	115 CrV 3, rd 12,00 mm 2 m-Stäbe, +AC+C+SL+PL		X
2210RD012.00S+AC+C+SL3.0	115 CrV 3, rd 12,00 mm 3 m-Stäbe, +AC+C+SL+PL	X	
2210RD012.50S+AC+C+SL2.0	115 CrV 3, rd 12,50 mm 2 m-Stäbe, +AC+C+SL+PL	X	
2210RD013.00S+AC+C+SL2.0	115 CrV 3, rd 13,00 mm 2 m-Stäbe, +AC+C+SL+PL	X	
2210RD014.00S+AC+C+SL2.0	115 CrV 3, rd 14,00 mm 2 m-Stäbe, +AC+C+SL+PL	X	
2210RD015.00S+AC+C+SL2.0	115 CrV 3, rd 15,00 mm 2 m-Stäbe, +AC+C+SL	X	
2210RD016.00S+AC+C+SL2.0	115 CrV 3, rd 16,00 mm 2 m-Stäbe, +AC+C+SL	X	
2210RD016.00SGKGS2.0	115 CrV 3, rd 16,00 mm 2 m-Stäbe, +AC+C+SL	X	
2210RD016.00SGKGS3.0	115 CrV 3, rd 16,00 mm 3 m-Stäbe, +AC+C+SL	X	
2210RD018.00S+AC+C+SL2.0	115 CrV 3, rd 18,00 mm 2 m-Stäbe, +AC+C+SL	X	
2210RD022.00S+AC+S+SL2.0	115 CrV 3, rd 22,00 mm 2 m-Stäbe, +AC+C+SL+PL		X
2210RD025.00S+AC+C+SL2.0	115 CrV 3, rd 25,00 mm 2 m-Stäbe, +AC+C+SL+PL	X	
2210RD030.00S+AC+C+SL2.0	115 CrV 3, rd 30,00 mm 2 m-Stäbe, +AC+C+SL+PL	X	
2210RD036.00S+AC+C+SL2.0	115 CrV 3, rd 36,00 mm 2 m-Stäbe, +AC+C+SL+PL	X	
2210RD050.00S+AC+C+SL2.0	115 CrV 3, rd 50,00 mm 2 m-Stäbe, +AC+C+SL+PL	X	
2210RD060.00S+AC+C+SL2.0	115 CrV 3, rd 60,00 mm 2 m-Stäbe, +AC+C+SL+PL	X	
2241RD018.00S+AC+C3.0	51 CrMnV 4, rd 18,00 mm, 3 m-Stäbe, +AC+C	X	
2241RD025.00S+AC+C3.0	51 CrMnV 4, rd 25,00 mm, 3 m-Stäbe, +AC+C	X	
2243RD002.50SGKKG3.0	61 CrSiV 5, rd 2,50 mm 3 m-Stäbe, +AC+C+A+C	X	
2243RD003.00R+AC+C+A+C500	61 CrSiV 5, rd 3,00 mm 500 kg-Ringe, +AC+C+A+C	X	
2243RD003.00S+AC+C+A+C3.0	61 CrSiV 5, rd 3,00 mm 3 m-Stäbe, +AC+C+A+C	X	
2243RD003.50SGKKG3.0	61 CrSiV 5, rd 3,50 mm 3 m-Stäbe, +AC+C+A+C	X	
2243RD004.00R+AC+C+A+C500	61 CrSiV 5, rd 4,00 mm 500 kg-Ringe, +AC+C+A+C	X	
2243RD004.00S+AC+C+A+C3.0	61 CrSiV 5, rd 4,00 mm 3 m-Stäbe, +AC+C+A+C	X	
2243RD004.00S+AC+C+A+C1585	61 CrSiV 5, rd 4,00 mm, 158,5 mm adiab. Abschn., +AC+C+A+C	X	
2243RD004.50R+AC+C+A+C500	61 CrSiV 5, rd 4,50 mm, 500 kg-Ringe, +AC+C+A+C	X	
2243RD004.50S+AC+C+A+C136	61 CrSiV 5, rd 4,50 mm 136 mm adiab. Abschn., +AC+C+A+C	X	
2243RD004.50S+AC+C+A+C3.0	61 CrSiV 5, rd 4,50 mm 3 m-Stäbe, +AC+C+A+C	X	
2243RD005.00R+AC+C+A+C500	61 CrSiV 5, rd 5,00 mm, 500 kg-Ringe, +AC+C+A+C	X	
2243RD005.00S+AC+C+A+C3.0	61 CrSiV 5, rd 5,00 mm 3 m-Stäbe, +AC+C+A+C	X	
2243RD005.50R+AC+C+A+C500	61 CrSiV 5, rd 5,50 mm, 500 kg-Ringe, +AC+C+A+C	X	
2243RD005.50S+AC+C+A+C3.0	61 CrSiV 5, rd 5,50 mm 3 m-Stäbe, +AC+C+A+C	X	
2243RD006.00R+AC+C+A+C500	61 CrSiV 5, rd 6,00 mm, 500 kg-Ringe, +AC+C+A+C	X	
2243RD006.00S+AC+C+A+C3.0	61 CrSiV 5, rd 6,00 mm 3 m-Stäbe, +AC+C+A+C	X	
2243RD006.0S+AC+C+A+C155	61 CrSiV 5, rd 6,00 mm 155 mm adiab. Abschnitte, +AC+C+A+C	X	
2243RD006.50R+AC+C+A+C500	61 CrSiV 5, rd 6,50 mm, 500 kg-Ringe, +AC+C+A+C	X	
2243RD006.50S+AC+C+A+C3.0	61 CrSiV 5, rd 6,50 mm 3 m-Stäbe, +AC+C+A+C	X	
2243RD007.00R+AC+C+A+C500	61 CrSiV 5, rd 7,00 mm, 500 kg-Ringe, +AC+C+A+C	X	
2243RD007.00S+AC+C+A+C3.0	61 CrSiV 5, rd 7,00 mm 3 m-Stäbe, +AC+C+A+C	X	
2243RD007.80SGKKG3.0SO	61 CrSiV 5, rd 7,80 mm 3 m-Stäbe, +AC+C+A+C	X	
2243RD008.00S+AC+C3.0	61 CrSiV 5, rd 8,00 mm 3 m-Stäbe, +AC+C	X	
2243RD009.00S+AC+C3.0	61 CrSiV 5, rd 9,00 mm 3 m-Stäbe, +AC+C	X	



Artikelnummer	Artikelbeschreibung	Bestand	Neueingang
2243RD010.00S+AC+C+A+C3.0	61 CrSiV 5, rd 10,00 mm 3 m-Stäbe, +AC+C+A+C		X
2243RD011.00S+AC+C3.0	61 CrSiV 5, rd 11,00 mm 3 m-Stäbe, +AC+C	X	
2249RD014.00S+AC+C6.0	45 SiCrV 6, rd 14,00 mm 4 m-Stäbe, +AC+C	X	
2249RD014.00SGKZSH6.0	45 SiCrV 6, rd 14,00 mm 6 m-Stäbe, +AC+SH+PL		X
2249RD017.88S+AC+SH+PL4.0	45 SiCrV 6, rd 17,88 mm 4 m-Stäbe, +AC+SH+PL	X	
2249RD017.88SGKZSH4.0	45 SiCrV 6, rd 17,88 mm 4 m-Stäbe, +AC+SH+PL	X	
2249RD017.91S+AC+SH+PL6.0	45 SiCrV 6, rd 17,91 mm 6 m-Stäbe, +AC+SH+PL		X
2249RD019.00SAC+SH+PL4.11	45 SiCrV 6, rd 19,00 mm 4.110 m-Stäbe, +AC+SH+PL		X
2249RD019.00SAC+SH+PL4.38	45 SiCrV 6, rd 19,00 mm 4.350 m-Stäbe, +AC+SH+PL		X
2249RD025.00S+AR+A6.0	45 SiCrV 6, rd 25,00 mm 6 m-Stäbe, +AR+A	X	
2249RD026.00S+AC+AR6.0P	45 SiCrV 6, rd 26,00 mm, 6-6,3 m Stäbe, +AC+AR, DIN 10060 P		X
2249RD035.00S+A+SH+PL6.0	45 SiCrV 6, rd 35,00 mm, 6 m - Stäbe, +A+SH+PL		X
2249RD035.00S+AR+A6.0	45 SiCrV 6, rd 35,00 mm 6-6,3 m Stäbe, +AR+A, DIN 10060 P	X	
2249RD036.00S+AC+C3.0	45 SiCrV 6, rd 36,00 mm 3 m-Stäbe, +A+C		X
2249RD037.00SGKSH3.0	45 SiCrV 6, rd 37,00 mm, 3 m - Stäbe, +AC+SH+PL		X
2249RD038.00S+A+SH+PL3.0	45 SiCrV 6, rd 38,00 mm, 3 m - Stäbe, +A+SH+PL		X
2249RD048.00SGKSH3.0	45 SiCrV 6, rd 48,00 mm, 3 m - Stäbe, +A+SH+PL	X	
2328AK008.00S+AC+C4.0	45 CrMoV 7, 8-kt 8,00 mm, 4 m - Stäbe, +AC+C	X	
2328AK010.00S+AC+C4.0	45 CrMoV 7, 8-kt 10,00 mm, 4 m-Stäbe, +AC+C	X	
2328AK010.00SGK4.0	45 CrMoV 7, 8-kt 10,00 mm, 4 m-Stäbe, +AC+C		X
2328AK012.00S+AC+C3.0	45 CrMoV 7, 8-kt 12,00 mm, 3 m - Stäbe, +AC+C	X	
2328AK012.00S+AC+C4.0	45 CrMoV 7, 8-kt 12,00 mm, 4 m - Stäbe, +AC+C	X	
2328AK012.00SGK4.0	45 CrMoV 7, 8-kt 12,00 mm, 4 m - Stäbe, +AC+C		X
2328AK014.00S+AC+C4.0	45 CrMoV 7, 8-kt 14,00 mm, 4 m - Stäbe, +AC+C	X	
2328AK016.00S+AC+C4.0	45 CrMoV 7, 8-kt 16,00 mm, 4 m - Stäbe, +AC+C	X	
2328AK018.00S+AC+C4.0	45 CrMoV 7, 8-kt 18,00 mm, 4 m - Stäbe, +AC+C	X	
2328AK018.00SGK4.0	45 CrMoV 7, 8-kt 18,00 mm, 4 m - Stäbe, +AC+C		X
2328AK020.00S+AC+C3.8	45 CrMoV 7, 8-kt 20,00 mm, 3,8 m - Stäbe, +AC+C	X	
2381RD002.00S+AC+C+A+C3.0	73 MoV 5 2, rd 2,00 mm, 3 m-Stäbe +AC+C+A+C	X	
2381RD002.00SGK3.0	73 MoV 5 2, rd 2,00 mm, 3 m-Stäbe +AC+C+A+C		X
2381RD002.50R+AC+C+A+C500	73 MoV 5 2, rd 2,50 mm, 500 kg-Ringe +AC+C+A+C	X	
2381RD002.50S+AC+C+A+C3.0	73 MoV 5 2, rd 2,50 mm, 3 m-Stäbe +AC+C+A+C	X	
2381RD002.80S+AC+C+A+C3.0	73 MoV 5 2, rd 2,80 mm, 3 m-Stäbe +AC+C+A+C	X	
2381RD003.00R+AC+C+A+C200	73 MoV 5 2, rd 3,00 mm, 200 kg- Ringe +AC+C+A+C /F		X
2381RD003.00R+AC+C+A+C500	73 MoV 5 2, rd 3,00 mm, 500 kg- Ringe +AC+C+A+C	X	
2381RD003.00S+AC+C+A+C113	73 MoV 5 2, rd 3,00 mm, 113 mm adiab. Abschnitte, +AC+C+A+C	X	
2381RD003.00S+AC+C+A+C3.0	73 MoV 5 2, rd 3,00 mm, 3 m-Stäbe +AC+C+A+C	X	
2381RD003.00SGK3.0	73 MoV 5 2, rd 3,00 mm, 3 m-Stäbe +AC+C+A+C		X
2381RD003.20S+AC+C+A+C3.0	73 MoV 5 2, rd 3,20 mm, 3 m-Stäbe +AC+C+A+C	X	
2381RD003.50R+AC+C+A+C500	73 MoV 5 2, rd 3,50 mm, 500 kg- Ringe +AC+C+A+C	X	
2381RD003.50S+AC+C+A+C3.0	73 MoV 5 2, rd 3,50 mm, 3 m-Stäbe +AC+C+A+C	X	
2381RD003.50SGK3.0	73 MoV 5 2, rd 3,50 mm, 3 m-Stäbe +AC+C+A+C	X	
2381RD004.00+AC+C+A+C3.0	73 MoV 5 2, rd 4,00 mm, 3 m-Stäbe +AC+C+A+C	X	
2381RD004.00R+AC+C+A+C350	73 MoV 5 2, rd 4,00 mm, 350 kg- Ringe +AC+C+A+C	X	
2381RD004.00S+AC+C+A+C142	73 MoV 5 2, rd 4,00 mm, 142 mm adiab. Abschnitte, +AC+C+A+C	X	
2381RD004.00SGK3.0	73 MoV 5 2, rd 4,00 mm, 3 m-Stäbe +AC+C+A+C		X
2381RD004.50R+AC+C+A+C900	73 MoV 5 2, rd 4,50 mm, 700 - 900 kg Ringe+AC+C+A+C	X	
2381RD004.50SGK3.0	73 MoV 5 2, rd 4,50 mm, 3 m-Stäbe +AC+C+A+C	X	
2381RD005.00RGK350	73 MoV 5 2, rd 5,00 mm, 350 kg- Ringe +AC+C+A+C	X	
2381RD005.00SGK181	73 MoV 5 2, rd 5,00 mm, 181 mm adiab. Abschnitte, +AC+C+A+C	X	
2381RD005.00SGK3.0	73 MoV 5 2, rd 5,00 mm, 3 m-Stäbe +AC+C+A+C	X	
2381RD005.0SGK3.0GEF.	73 MoV 5 2, rd 5,00 mm, 3 m-Stäbe +AC+C+A+C gefast		X
2381RD005.50SGK3.0	73 MoV 5 2, rd 5,50 mm, 3 m-Stäbe +AC+C+A+C	X	
2381RD005.50SGK3.0GEF.	73 MoV 5 2, rd 5,50 mm, 3 m-Stäbe +AC+C+A+C, gefast	X	
2381RD006.00RGK900	73 MoV 5 2, rd 6,00 mm, 700 - 900 kg Ringe,+AC+C+A+C		X
2381RD006.00S+AC+C+A+C3.0	73 MoV 5 2, rd 6,00 mm, 3 m-Stäbe +AC+C+A+C		X
2381RD006.00SGK182	73 MoV 5 2, rd 6,00 mm, 182 mm adiab. Abschnitte, +AC+C+A+C	X	
2381RD006.00SGK3.0	73 MoV 5 2, rd 6,00 mm, 3 m-Stäbe +AC+C+A+C	X	
2381RD006.0SGK3.0GEF.	73 MoV 5 2, rd 6,00 mm, 3 m-Stäbe +AC+C+A+C, gefast		X
2381RD006.50GK3.0GEF.	73 MoV 5 2, rd 6,50 mm, 3 m-Stäbe +AC+C+A+C gefast	X	
2381RD006.50SGK3.0	73 MoV 5 2, rd 6,50 mm, 3 m-Stäbe +AC+C+A+C	X	
2381RD007.00SGK3.0	73 MoV 5 2, rd 7,00 mm, 3 m-Stäbe +AC+C+A+C	X	
2381RD007.0SGK3.0GEF.	73 MoV 5 2, rd 7,00 mm, 3 m-Stäbe +AC+C+A+C gefast	X	
2381RD008.00SGK3.0	73 MoV 5 2, rd 8,00 mm, 3 m-Stäbe+AC+C+A+C	X	
2381RD008.00SGK3.0GEF.	73 MoV 5 2, rd 8,00 mm, 3 m-Stäbe +AC+C+A+C gefast	X	
2381RD009.00SGK3.0	73 MoV 5 2, rd 9,00 mm, 3 m-Stäbe +AC+C	X	
2381RD010.00SGK3.0	73 MoV 5 2, rd 10,00 mm, 3 m-Stäbe +AC+C	X	
2381RD010.00SGK3.0	73 MoV 5 2, rd 10,00 mm, 3 m-Stäbe+AC+C+A+C	X	
2381RD011.00SGK3.0	73 MoV 5 2, rd 11,00 mm, 3 m-Stäbe +AC+C	X	
2381RD012.00SGK3.0	73 MoV 5 2, rd 12,00 mm, 3 m-Stäbe +AC+C	X	



Artikelnummer	Artikelbeschreibung	Bestand	Neueingang
2381RD014.00SGK3.0	73 MoV 5 2, rd 14,00 mm, 3 m-Stäbe +AC+C	X	
2381RD016.00SGK3.0	73 MoV 5 2, rd 16,00 mm, 3 m-Stäbe +AC+C	X	
2381RD019.00SGK3.0	73 MoV 5 2, rd 19,00 mm, 3 m-Stäbe +AC+C	X	
2381RD020.00SGK3.0	73 MoV 5 2, rd 20,00 mm, 3 m-Stäbe +AC+C	X	
2381RD025.00SGK3.0	73 MoV 5 2, rd 25,00 mm, 3 m-Stäbe +AC+C	X	
2381SW001.50RGK GK20	73 MoV 5 2, 6-kt 1,50 mm 15-20 kg - Ringe +AC+C+A+C	X	
2381SW001.50SGK GK1.5	73 MoV 5 2, 6-kt 1,50 mm 1,5 m-Stäbe +AC+C+A+C	X	
2381SW001.59RGK GK100	73 MoV 5 2, 6-kt 1,59 mm 100 kg - Ringe +AC+C+A+C (1/16")	X	
2381SW001.59SGK GK1.5	73 MoV 5 2, 6-kt 1,59 mm 1,5 m-Stäbe +AC+C+A+C	X	
2381SW002.00RGK GK20	73 MoV 5 2, 6-kt 2,00 mm 20 kg - Ringe +AC+C+A+C	X	
2381SW002.38RGK GK30	73 MoV 5 2, 6-kt 2,38 mm 30 kg - Ringe +AC+C+A+C	X	
2381SW002.38SGK GK3.0	73 MoV 5 2, 6-kt 2,38 mm, 2 m-Stäbe, AC+C+A+C (2/32")	X	
2381SW002.50RGK GK25	73 MoV 5 2, 6-kt 2,50 mm 25 kg - Ringe +AC+C+A+C	X	
2381SW002.50SGK GK3.0	73 MoV 5 2, 6-kt 2,50 mm 3 m-Stäbe +AC+C+A+C	X	
2381SW002.78SGK GK3.0	73 MoV 5 2, 6-kt 2,78 mm, 3 m-Stäbe, +AC+C+A+C (7/64")	X	
2381SW003.00SGK GK3.0	73 MoV 5 2, 6-kt 3,00 mm 3 m-Stäbe +AC+C+A+C		X
2381SW004.00SGK GK3.0	73 MoV 5 2, 6-kt 4,00 mm 3 m-Stäbe +AC+C+A+C		X
2381SW004.76SGK GK3.0	73 MoV 5 2, 6-kt 4,76 mm 3 m-Stäbe, +AC+C+A+C (3/16")		X
2381SW005.00SGK GK3.0	73 MoV 5 2, 6-kt 5,00 mm 3 m-Stäbe +AC+C+A+C	X	
2381SW005.96SGK GK3.0	73 MoV 5 2, 6-kt 5,96 mm 3 m-Stäbe +AC+C+A+C	X	
2381SW006.00RGK GK200_01	73 MoV 5 2, 6-kt 6,00 mm 200 kg - Ringe +AC+C+A+C	X	
2381SW006.00SGK GK3.0	73 MoV 5 2, 6-kt 6,00 mm 3 m-Stäbe +AC+C+A+C	X	
2381SW006.31GK GK3.0ST	73 MoV 5 2 6-kt 6,31 mm 3 m-Stäbe +AC+C+A+C	X	
2381SW006.33R+AC+C+A+C500	73 MoV 5 2, 6-kt 6,33 mm 500 kg - Ringe +AC+C+A+C	X	
2381SW006.33RGK GK200_01	73 MoV 5 2, 6-kt 6,33 mm 200 kg - Ringe +AC+C+A+C	X	
2381SW006.33RGK GK500	73 MoV 5 2, 6-kt 6,33 mm 500 kg - Ringe +AC+C+A+C	X	
2381SW006.33SGK GK3.0ST	73 MoV 5 2, 6-kt 6,33 mm 3 m-Stäbe +AC+C+A+C (1/4")	X	
2381SW006.33SGK GK3.0STRO	73 MoV 5 2, 6-kt 6,33 mm 3 m-Stäbe/angerostet	X	
2381SW007.93SGK GK3.0	73 MoV 5 2, 6-kt 7,93 mm 3 m-Stäbe +AC+C+A+C (5/16")	X	
2381SW008.00RGK GK200_01	73 MoV 5 2, 6-kt 8,00 mm 250 - 300 kg Ringe +AC+C+A+C	X	
2381SW008.00SGK GK3.0	73 MoV 5 2, 6-kt 8,00 mm 3 m-Stäbe +AC+C+A+C	X	
2381SW009.53SGK Z3.0	73 MoV 5 2, 6-kt 9,53 mm 3 m-Stäbe, +AC+C+A+C (3/8")	X	
2381SW010.00SGK GK3.0	73 MoV 5 2, 6-kt 10,00 mm 3 m-Stäbe, +AC+C+A+C	X	
2381SW011.00SGK GK3.0	73 MoV 5 2, 6-kt 11,00 mm 3 m-Stäbe +AC+C+A+C	X	
2381SW012.00SGK GK3.0	73 MoV 5 2, 6-kt 12,00 mm 3 m-Stäbe +AC+C+A+C	X	
2381SW014.00SGK GK3.0	73 MoV 5 2, 6-kt 14,00 mm 3 m-Stäbe +AC+C+A+C	X	
3343RD006.00SGK3.0	S 6-5-2, rd 6,00 mm 3 m-Stäbe, +A+C	X	
3343RD006.10SGK3.0	S 6-5-2, rd 6,10 mm 3 m-Stäbe, +A+C	X	
3343RD006.10SGK4.0	S 6-5-2, rd 6,10 mm 4 m-Stäbe, +A+C	X	
3343RD006.10SGKS4.0	S 6-5-2, rd 6,10 mm 4 m-Stäbe, +A+C+SL	X	
3343RD010.20SGK3.0	S 6-5-2, rd 10,20 mm 3 m-Stäbe, +A+C	X	
3343RD011.20S+A+C3.0	S 6-5-2, rd 11,20 mm 3,1 m-Stäbe, +A, grob bearbeitet	X	
3343RD011.65SGK GS3.0	S 6-5-2, rd 11,65 mm 3 m-Stäbe, +A+C+PL	X	
3343RD012.00SGK3.0	S 6-5-2, rd 12,00 mm 3 m-Stäbe, +A+C	X	
3343RD012.20SGK3.0	S 6-5-2, rd 12,20 mm 3 m-Stäbe, + A grob bearbeitet	X	
3343RD013.00SGK3.0	S 6-5-2, rd 13,00 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3343RD014.30SGK3.0	S 6-5-2, rd 14,30 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3343RD016.20SGK3.0	S 6-5-2, rd 16,20 mm 3 m-Stäbe, + A grob bearbeitet	X	
3343RD017.20SGSH3.0	S 6-5-2, rd 17,20 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3343RD020.20SGK GS3.0	S 6-5-2, rd 20,20 mm 3 m-Stäbe, +A+C grob bearbeitet	X	
3343RD021.20SGSH3.0	S 6-5-2, rd 21,20 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3343RD022.20SGSH3.0	S 6-5-2, rd 22,20 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3343RD023.00SGSH3.0	S 6-5-2, rd 23,00 mm 3-4 m-Stäbe, +A+SH	X	
3343RD026.30SGSH3.0	S 6-5-2, rd 26,30 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3343RD030.20SGSH3.0	S 6-5-2, rd 30,20 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3343RD030.50SGSH3.0	S 6-5-2, rd 30,50 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3343RD031.20SGSH4.0	S 6-5-2, rd 31,20 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3343RD035.20SGSH3.0	S 6-5-2, rd 35,20 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3343RD036.20SGSH3.0	S 6-5-2, rd 36,20 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3343RD038.00SGSH3.0	S 6-5-2, rd 38,00 mm 3-4 m-Stäbe, +A+SH	X	
3343RD041.20SGS3.0	S 6-5-2, rd 41,20 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3505RD020.00SGK3.0	100 Cr 6, rd 20,00 mm 3 m-Stäbe, +AC+C, Sonderanalyse	X	
3505RD021.00S+SH+AC+PL3.0	100 Cr 6, rd 21,00 mm, 3 m-Stäbe, +AC+SH	X	
3505RD022.00S+AR+A3.0	100 Cr 6 , rd 22,00 mm, 3 m-Stäbe, +AR+A	X	
4034RD004.50SGK3.0	X 46 Cr 13, rd 4,50 mm 3 m-Stäbe, +A+C	X	
4034RD004.50SGK SL3.0	X 46 Cr 13, rd 4,50 mm 3 m-Stäbe, +A+C+SL+PL	X	
4034RD005.00SGK3.0	X 46 Cr 13, rd 5,00 mm 3 m-Stäbe, +A+C	X	
4034RD006.50SGK SL3.0	X 46 Cr 13, rd 6,50 mm 3 m-Stäbe, +A+C+SL+PL	X	
4034RD007.00SGK SL3.0	X 46 Cr 13, rd 7,00 mm 3 m-Stäbe, +A+C+SL+PL	X	
4034SW006.33SGK GK3.0	X 46 Cr 13, 6-kt 6,33 mm 3 m-Stäbe, +AC+C+A+C	X	



Artikelnummer	Artikelbeschreibung	Bestand	Neueingang
6582RD009.95SGKZGZ3.0	34 CrNiMo 6, rd 9,95 mm, 3 m-Stäbe +AC+C	X	
6582RD009.96S+AC+C3.9	34 CrNiMo 6, rd 9,96 mm, 3,9 m-Stäbe +AC+C		X
6582RD010.00SGKZGZ3.0	34 CrNiMo 6, rd 10,00 mm, 3 m-Stäbe +AC+C		X
6582RD011.00SGKZGZ3.0	34 CrNiMo 6, rd 11,00 mm, 3 m-Stäbe +AC+C	X	
6582RD012.00S+AC+C3.0GEF	34 CrNiMo 6, rd 12,00 mm, 3 m-Stäbe +AC+C, gefast	X	
6582RD013.00SGKZGZ3.0	34 CrNiMo 6, rd 13,00 mm, 3 m-Stäbe +AC+C		X
6582RD013.98S+AC+C3.9	34 CrNiMo 6, rd 13,98 mm, 3,9 m-Stäbe +AC+C		X
6582RD014.00SGKZGZ3.0	34 CrNiMo 6, rd 14,00 mm, 3 m-Stäbe +AC+C	X	
6582RD015.00SGKZGZ3.0	34 CrNiMo 6, rd 15,00 mm, 3 m-Stäbe +AC+C	X	
6582RD016.00S+AC+C3.0GEF	34 CrNiMo 6, rd 16,00 mm, 3 m-Stäbe +AC+C, gefast		X
6582RD017.00SGKZGZ3.0	34 CrNiMo 6, rd 17,00 mm, 3 m-Stäbe +AC+C	X	
6582RD017.90S+AC+C3.9	34 CrNiMo 6, rd 17,90 mm, 3,9 m-Stäbe +AC+C	X	
6582RD018.00S+AC+C3.0GEF	34 CrNiMo 6, rd 18,00 mm, 3 m-Stäbe +AC+C, gefast	X	
6582RD018.00SGKZGZ3.0	34 CrNiMo 6, rd 18,00 mm, 3 m-Stäbe +AC+C		X
6582RD020.00SGK3.0	34 CrNiMo 6, rd 20,00 mm, 3 m-Stäbe +AC+C	X	
6582RD023.00SGKZGZ3.0	34 CrNiMo 6, rd 23,00 mm, 3 m-Stäbe +AC+C		X
6582RD024.00SGKZGZ3.0	34 CrNiMo 6, rd 24,00 mm, 3 m-Stäbe +AC+C	X	
6582RD026.00S+AC+C3.0	34 CrNiMo 6, rd 26,00 mm 3,0 m-Stäbe, +AC+C	X	
6582RD026.00S+AC+C3.9	34 CrNiMo 6, rd 26,00 mm 3,9 m-Stäbe, +AC+C		X
6582RD028.00S+AC+C3.0	34 CrNiMo 6, rd 28,00 mm 3,0 m-Stäbe, +AC+C	X	
6582RD028.00S+AC+C3.9	34 CrNiMo 6, rd 28,00 mm 3,9 m-Stäbe, +AC+C	X	
6582RD029.00SGKZSH3.0	34 CrNiMo 6, rd 29,00 mm 3 m-Stäbe, +AC+SH		X
6582RD030.00S+AC+C3.0	34 CrNiMo 6, rd 30,00 mm 3,0 m-Stäbe, +AC+C		X
6582RD030.00S+AC+C3.9	34 CrNiMo 6, rd 30,00 mm 3,9 m-Stäbe, +AC+C		X
6582RD030.00SGK3.0	34 CrNiMo 6, rd 30,00 mm 3 m-Stäbe, +AC+C	X	
6582RD032.00SGKZGZ3.0	34 CrNiMo 6, rd 32,00 mm 3 m-Stäbe, +AC+C	X	
6582RD033.00S+AC+C3.9	34 CrNiMo 6, rd 33,00 mm 3,9 m-Stäbe, +AC+C	X	
6582RD040.00SGKZGZ3.0	34 CrNiMo 6, rd 40,00 mm 3 m-Stäbe, +AC+C	X	
6582RD042.00S+AC+SH3.9	34 CrNiMo 6, rd 42,00 mm 3,9 m-Stäbe, +AC+SH		X
6582RD042.00SGKZSH3.0	34 CrNiMo 6, rd 42,00 mm 3 m-Stäbe, +AC+SH		X
7131RD012.20SGKSL3.0	16 MnCr 5, rd 12,20 mm 3 m-Stäbe, +A+C+SL+PL	X	
7131RD022.20SGK3.0	16 MnCr 5, rd 22,20 mm 3 m-Stäbe, +U+C	X	
7131RD040.00SGK3.0	16 MnCr 5, rd 40,00 mm, 3 m-Stäbe, +A+C	X	
7139RD014.00SGK3.0	16 MnCr 5, rd 14,00 mm 3 m-Stäbe, +AC+C	X	
7139RD050.00FSPSH2.0	16 MnCr 5, rd 50,00 mm 2 m-Stäbe, +FP+SH, 2-fach gefast	X	
7139RD058.00FSPSH2.0	16 MnCr 5, rd 58,00 mm 2 m-Stäbe, +FP+SH, 2-fach gefast	X	
7139RD058.00FSPSH782	16 MnCr 5, rd 58,00 mm, 78,2 mm - Abschnitte, +FP+SH	X	
7225RD017.98SGKSHSLPL3.6	42 CrMo 4, rd 17,98 mm 3,6 m-Stäbe, +A+C+SL+PL	X	
7225RD028.00SGWG6.0	42 CrMo 4, rd 28,00 mm 6 m-Stäbe, +AR+A	X	
7225RD030.00SGSHV3.0	42 CrMo 4, rd 30,00 mm 4 m-Stäbe, +QT+SH	X	
7225RD032.00SGWG6.0	42 CrMo 4, rd 32,00 mm 6 m-Stäbe, +AR+A	X	
7225RD035.00SGK3.0	42 CrMo 4, rd 35,00 mm 3 m-Stäbe, +A+C	X	
7225RD036.00SGWG6.0	42 CrMo 4, rd 36,00 mm 6 m-Stäbe, +A+AR	X	
7225RD040.00SGK3.0	42 CrMo 4, rd 40,00 mm 3 m-Stäbe, +AC+C	X	
7227RD010.00SGK3.0	42 CrMo 4, rd 10,00 mm, 3 m-Stäbe, +A+C	X	
7227RD012.00SGK3.0	42 CrMo 4, rd 12,00 mm, 3 m-Stäbe, +A+C	X	
7227RD013.00SGK3.0	42 CrMo 4, rd 13,00 mm, 3 m-Stäbe, +A+C	X	
7227RD014.00SGK3.0	42 CrMo 4, rd 14,00 mm, 3 m-Stäbe, +A+C	X	
7227RD015.00SGK3.0GEF.	42 CrMo 4, rd 15,00 mm, 3 m-Stäbe, +A+C, 2-fach gefast	X	
7227RD016.00SGK3.0	42 CrMo 4, rd 16,00 mm, 3 m-Stäbe, +A+C	X	
7227RD016.50SGK3.0	42 CrMo 4, rd 16,50 mm, 3 m-Stäbe, +A+C	X	
7227RD023.00SGK3.0	42 CrMo 4, rd 23,00 mm, 3 m-Stäbe +A+C	X	
7227RD024.00SGK3.0GEF.	42 CrMo 4, rd 24,00 mm, 3 m-Stäbe +A+C, 2-fach gefast	X	
7227RD025.00SGK3.0	42 CrMo 4, rd 25,00 mm, 3 m-Stäbe, +A+C	X	
7227RD026.00SGK3.0GEF.	42 CrMo 4, rd 26,00 mm, 3 m-Stäbe, +A+C, 2-fach gefast	X	
7227RD028.00SGK3.0	42 CrMo 4, rd 28,00 mm, 3 m-Stäbe, +A+C	X	
7227RD030.00SGK3.0	42 CrMo 4, rd 30,00 mm, 3 m-Stäbe, +A+C	X	
7227RD032.00SGK3.0GEF.	42 CrMo 4, rd 32,00 mm, 3 m-Stäbe, +A+C, 2-fach gefast	X	
7227RD040.00SGK3.0GEF.	42 CrMo 4, rd 40,00 mm, 3 m-Stäbe, +A+C, 2-fach gefast	X	
7227RD042.00SGK3.0GEF.	42 CrMo 4, rd 42,00 mm, 3 m-Stäbe, +A+C, 2-fach gefast	X	
7792RD0003.00RGKKG500	58 CrV 4 + Mo, rd 3,00 mm 500 kg Ringe, +AC+C+A+C, 550 MPa	X	
7792RD0004.00RGKKG500	58 CrV 4 + Mo, rd 4,00 mm 500 kg Ringe, +AC+C+A+C, 550 MPa	X	
7792RD0004.50RGKKG200	58 CrV 4 + Mo, rd 4,50 mm 200 kg- Ringe, +AC+C+A+C	X	
7792RD0005.00RGKKG500	58 CrV 4 + Mo, rd 5,00 mm 500 kg- Ringe, +AC+C+A+C, 550 MPa		X
7792RD0007.00RGKKG200	58 CrV 4 + Mo, rd 7,00 mm 200 kg- Ringe, +AC+C+A+C	X	
7792RD0007.00RGKKG500	58 CrV 4 + Mo, rd 7,00 mm 300kg- Ringe, +AC+C+A+C, 550 MPa	X	
7792RD0008.00RGKKG200	58 CrV 4 + Mo, rd 8,00 mm 200 kg- Ringe, +AC+C+A+C	X	
7792RD0008.00RGKKG500	58 CrV 4 + Mo, rd 8,00 mm 500 kg- Ringe, +AC+C+A+C, 550 MPa	X	
7792SW010.00SGKZ3.0	58 CrV 4 + Mo, 6-kt 10,0 mm, 3 m-Stäbe +AC+C	X	
8159RD001.79RGKKG30	51 CrV 4, rd 1,79 mm, 30 kg-Ringe +AC+C+A+C	X	



Artikelnummer	Artikelbeschreibung	Bestand	Neueingang
8159SW010.00SGKZ3.0	51 CrV 4, 6-kt 10,00 mm, 3 m-Stäbe +AC+C	X	
8161AK008.00SGK3.0	58 CrV 4, 8-kt 8,00 mm, 3 m-Stäbe, +AC+C	X	
8161AK010.00SGK3.0	58 CrV 4, 8-kt 10,00 mm, 3 m-Stäbe, +AC+C	X	
8161AK010.00SGK3.6	58 CrV 4, 8-kt 10,00 mm, 3,6 m-Stäbe, +AC+C	X	
8161AK010.00SGK4.0	58 CrV 4, 8-kt 10,00 mm, 4 m-Stäbe, +AC+C	X	
8161AK012.00SGK3.6_01	58 CrV 4, 8-kt 12,0 mm, 3,6 m-Stäbe, +AC+C	X	
8161AK012.00SGKZ4.0	58 CrV 4, 8-kt 12,00 mm, 4 m-Stäbe, +AC+C	X	
8161AK014.00SGKZ4.0	58 CrV 4, 8-kt 14,00 mm, 4 m - Stäbe, +AC+C	X	
8161AK016.00SGKZ4.0	58 CrV 4, 8-kt 16,00 mm, 4 m - Stäbe, +AC+C	X	
8161AK018.00S+AC+C3.0	58 CrV 4, 8-kt 18,00 mm, 3 m - Stäbe, +AC+C	X	
8161AK018.00SGKZ4.0	58 CrV 4, 8-kt 18,00 mm, 4 m - Stäbe, +AC+C	X	
8161AK020.00SGKZ3.9	58 CrV 4, 8-kt 20,00 mm, 3,9 m - Stäbe, +AC+C	X	
8161AK020.00SGKZ4.0	58 CrV 4, 8-kt 20,00 mm, 4 m - Stäbe, +AC+C	X	
8161FL014X009S+A+CR4.0	58 CrV 4, flov 14 x 9 mm, 4 m - Stäbe, +A+CR+A+CR	X	
8161FL017X011S+A+CR4.0	58 CrV 4, flov 17 x 11 mm, 4 m - Stäbe, +A+CR+A+CR	X	
8161FL020X012S+A+CR4.0	58 CrV 4, flov 20 x 12 mm, 4 m - Stäbe, +A+CR+A+CR	X	
8161FL020X012S+AC+C	58 CrV 4, flov 20 x 12 mm, 4 m - Stäbe, +AC+C	X	
8161FL023X013S+A+CR4.0	58 CrV 4, flov 23 x 13 mm, 4 m - Stäbe, +A+CR+A+CR	X	
8161FL026X007S+A+CR4.0	58 CrV 4, flov 26 x 7 mm, 4 m - Stäbe, +A+CR+A+CR	X	
8161FL026X007S+A+CR6.0G	58 CrV 4, flov 26 x 7 mm, 6 m - Stäbe, +A+CR+A+CR spezial	X	
8161FL026X013S+A+CR4.0	58 CrV 4, flov 26 x 13 mm, 4 m - Stäbe, +A+CR+A+CR	X	
8161FL026X013S+AC+C4.0	58 CrV 4, flov 26 x 13 mm, 4 m - Stäbe, +AC+C	X	
8161FL028X007S+A+CR4.0	58 CrV 4, flov 28 x 7 mm, 4 m - Stäbe, +A+CR+A+CR	X	
8161RD002.20RGKKGK100	58 CrV 4, rd 2,20 mm, 100 kg- Ringe +AC+C+A+C	X	
8161RD002.50R+AC+C+A+C300	58 CrV 4, rd 2,50 mm, 250-300 kg- Ringe +AC+C+A+C (F)	X	
8161RD002.50RGKKGK200_01	58 CrV 4, rd 2,50 mm, 200 kg- Ringe +AC+C+A+C	X	
8161RD003.00RGKKGK3.0	58 CrV 4, rd 3,00 mm 3 m-Stäbe, +AC+C+A+C	X	
8161RD003.60SGKKGK3.0	58 CrV 4, rd 3,60 mm 3 m-Stäbe, +AC+C+A+C	X	
8161RD004.00SGKKGK3.0	58 CrV 4, rd 4,00 mm 3 m-Stäbe, +AC+C+A+C	X	
8161RD004.50R+AC+C+A+C300	58 CrV 4, rd 4,50 mm, 250-300 kg- Ringe +AC+C+A+C (F)	X	
8161RD004.50RGKKGK200_01	58 CrV 4, rd 4,50 mm, 200 kg- Ringe +AC+C+A+C	X	
8161RD004.50SGK3.0	58 CrV 4, rd 4,50 mm 3 m-Stäbe, +AC+C	X	
8161RD004.90SGK3.0	58 CrV 4, rd 4,90 mm 3 m-Stäbe, +AC+C	X	
8161RD005.00SGK3.0	58 CrV 4, rd 5,00 mm 3 m-Stäbe, +AC+C	X	
8161RD005.50SGK3.0	58 CrV 4, rd 5,50 mm 3 m-Stäbe, +AC+C	X	
8161RD006.00SGK3.0	58 CrV 4, rd 6,00 mm 3 m-Stäbe, +AC+C	X	
8161RD006.50SGK3.0	58 CrV 4, rd 6,50 mm 3 m-Stäbe, +AC+C	X	
8161RD007.00SGKKGK3.0	58 CrV 4, rd 7,00 mm 3 m-Stäbe, +AC+C+A+C, < 600 MPa	X	
8161RD007.00SGK3.0	58 CrV 4, rd 7,00 mm 3 m-Stäbe, +AC+C	X	
8161RD007.20SGK3.0	58 CrV 4, rd 7,20 mm 3 m-Stäbe, +AC+C	X	
8161RD008.00SGK2.9	58 CrV 4, rd 8,00 mm 2,9 m- Stäbe +AC+C, Tol. -0/+100 mm	X	
8161RD008.00SGK3.0	58 CrV 4, rd 8,00 mm 3 m-Stäbe, +AC+C	X	
8161RD008.00SGKKGK3.0	58 CrV 4, rd 8,00 mm 3 m-Stäbe, +AC+C+A+C,< 600 MPa	X	
8161RD008.50SGK3.0	58 CrV 4, rd 8,50 mm 3 m-Stäbe, +AC+C		X
8161RD008.80SGK3.0	58 CrV 4, rd 8,80 mm 3 m-Stäbe, +AC+C	X	
8161RD009.00SGK3.0	58 CrV 4, rd 9,00 mm 3 m-Stäbe, +AC+C	X	
8161RD009.50SGK2.9	58 CrV 4, rd 9,50 mm, 2,9 m-Stäbe, +AC+C, Tol. -0/+100 mm	X	
8161RD010.00SGK3.0	58 CrV 4, rd 10,00 mm 3 m-Stäbe, +AC+C	X	
8161RD010.00SGKKGK3.0SO	58 CrV 4, rd 10,00 mm 3 m-Stäbe, +AC+C+A+C, < 600 MPa	X	
8161RD011.00SGK3.0	58 CrV 4, rd 11,00 mm 3 m-Stäbe, +AC+C	X	
8161RD011.50SGK3.0	58 CrV 4, rd 11,50 mm 3 m-Stäbe, +AC+C	X	
8161RD012.00SGK3.0	58 CrV 4, rd 12,00 mm 3 m-Stäbe, +AC+C	X	
8161RD012.50SGK3.0	58 CrV 4, rd 12,50 mm 3 m-Stäbe, +AC+C	X	
8161RD013.00SGK3.0	58 CrV 4, rd 13,00 mm 3 m-Stäbe, +AC+C		X
8161RD014.00SGK3.0	58 CrV 4, rd 14,00 mm 3 m-Stäbe, +AC+C	X	
8161RD015.00SGK3.0	58 CrV 4, rd 15,00 mm 3 m-Stäbe, +AC+C		X
8161RD016.00S+AC+C3.0	58 CrV 4, rd 16,00 mm 3 m-Stäbe, +AC+C	X	
8161RD016.00SGK3.0	58 CrV 4, rd 16,00 mm 3 m-Stäbe, +AC+C	X	
8161RD017.00SGK3.0	58 CrV 4, rd 17,00 mm 3 m-Stäbe, +AC+C	X	
8161RD018.00SGK3.0	58 CrV 4, rd 18,00 mm 3 m-Stäbe, +AC+C	X	
8161RD019.00SGK3.0	58 CrV 4, rd 19,00 mm 3 m-Stäbe, +AC+C	X	
8161RD020.00+AC+C3.0	58 CrV 4, rd 20,00 mm 3 m-Stäbe, +AC+C	X	
8161RD020.00SGK3.0	58 CrV 4, rd 20,00 mm 3 m-Stäbe, +AC+C	X	
8161RD022.00SGK3.0	58 CrV 4, rd 22,00 mm 3 m-Stäbe, +AC+C	X	
8161RD023.00SGK3.0	58 CrV 4, rd 23,00 mm 3 m-Stäbe, +AC+C	X	
8161RD024.00SGK3.0	58 CrV 4, rd 24,00 mm 3 m-Stäbe, +AC+C	X	
8161RD025.00+A+C3.0	58 CrV 4, rd 25,00 mm 3 m-Stäbe, +A+C+PL gefast	X	
8161RD025.00SGK3.0	58 CrV 4, rd 25,00 mm 3 m-Stäbe, +AC+C	X	
8161RD026.00SGK3.0	58 CrV 4, rd 26,00 mm 3 m-Stäbe, +AC+C	X	
8161RD027.00SGK3.0	58 CrV 4, rd 27,00 mm 3 m-Stäbe, +AC+C	X	



Artikelnummer	Artikelbeschreibung	Bestand	Neueingang
8161RD028.00SGK3.0	58 CrV 4, rd 28,00 mm 3 m-Stäbe, +AC+C	X	
8161RD030.00SGK3.0	58 CrV 4, rd 30,00 mm 3 m-Stäbe,+AC+C gefast	X	
8161RD030.00SGK4.0	58 CrV 4, rd 30,00 mm 4 m-Stäbe, +AC+C	X	
8161RD030.00SGKZSH3.0	58 CrV 4, rd 30,00 mm 3 m-Stäbe, +AC+SH	X	
8161RD032.00SGK3.0	58 CrV 4, rd 32,00 mm 3 m-Stäbe, +AC+C	X	
8161RD032.00SGKZSKH3.0	58 CrV 4, rd 32,00 mm 3 m-Stäbe, +AC+SH	X	
8161RD036.00SGK3.0	58 CrV 4, rd 36,00 mm 3 m-Stäbe, +AC+C	X	
8161RD038.00SGK3.0	58 CrV 4, rd 38,00 mm 3 m-Stäbe, +AC+C	X	
8161RD040.00SGK3.0	58 CrV 4, rd 40,00 mm 3 m-Stäbe, +AC+C	X	
8161RD044.00SGKZSH3.0	58 CrV 4, rd 44,00 mm 3 m-Stäbe, +AC+SH		X
8161SW001.19RGK GK300	58 CrV 4, 6-kt 1,19 mm 300 kg - Ringe +AC+C+A+C	X	
8161SW001.50RGK GK100	58 CrV 4, 6-kt 1,50 mm 100 kg - Ringe +AC+C+A+C	X	
8161SW002.38SGK GK3.0	58 CrV 4, 6-kt 2,38 mm 3 m-Stäbe +AC+C+A+C	X	
8161SW002.50RGK GK100	58 CrV 4, 6-kt 2,50 mm 100 kg - Ringe +AC+C+A+C	X	
8161SW002.78SGK GK3.0	58 CrV 4, 6-kt 2,78 mm 3 m-Stäbe +AC+C+A+C	X	
8161SW003.00RGK GK100	58 CrV 4, 6-kt 3,00 mm 100 kg - Ringe+AC+C+A+C	X	
8161SW003.00SGK GK3.0	58 CrV 4, 6-kt 3,00 mm 3 m-Stäbe +AC+C+A+C		X
8161SW003.96SGK GK3.0	58 CrV 4, 6-kt 3,97 mm 3 m-Stäbe +AC+C+A+C	X	
8161SW003.97RGK GK100	58 CrV 4, 6-kt 3,97 mm 100 kg - Ringe +AC+C+A+C	X	
8161SW004.00R+AC+C+A+C500	58 CrV 4, 6-kt 4,00 mm, 500 kg Ringe +AC+C+A+C	X	
8161SW004.00R+AC+C+A+C800	58 CrV 4, 6-kt 4,00 mm 500 - 800 kg - Ringe +AC+C+A+C (F)		X
8161SW004.00RGK GK100	58 CrV 4, 6-kt 4,00 mm 100 kg - Ringe +AC+C+A+C	X	
8161SW004.00SGK GK3.0	58 CrV 4, 6-kt 4,00 mm 3 m-Stäbe +AC+C+A+C	X	
8161SW005.00R+AC+C+A+C500	58 CrV 4, 6-kt 5,00 mm, 500 kg Ringe +AC+C+A+C	X	
8161SW005.00SGK Z3.0	58 CrV 4, 6-kt 5,00 mm 3 m-Stäbe +AC+C	X	
8161SW005.56SGK GK3.0	58 CrV 4, 6-kt 5,56 mm 3 m-Stäbe +AC+C+A+C (7/32")	X	
8161SW006.00RGK GK100	58 CrV 4, 6-kt 6,00 mm 100 kg - Ringe+AC+C+A+C	X	
8161SW006.00SGK Z3.0	58 CrV 4, 6-kt 6,00 mm 3 m-Stäbe +AC+C	X	
8161SW006.33SGK GK3.0	58 CrV 4, 6-kt 6,33 mm 3 m-Stäbe +AC+C	X	
8161SW007.00SGK Z3.0	58 CrV 4, 6-kt 7,00 mm 3 m-Stäbe +AC+C	X	
8161SW007.93SGK GK3.0	58 CrV 4, 6-kt 7,93 mm 3 m-Stäbe +AC+C (5/16")	X	
8161SW008.00RGK GK100	58 CrV 4, 6-kt 8,00 mm 100 kg - Ringe +AC+C+A+C		X
8161SW008.00SGK Z134	58 CrV 4, 6-kt 8,00 mm 134 mm - Abschnitte +AC+C	X	
8161SW008.00SGK Z3.0	58 CrV 4, 6-kt 8,00 mm 3 m-Stäbe +AC+C	X	
8161SW009.00SGK Z3.0	58 CrV 4, 6-kt 9,00 mm 3 m-Stäbe +AC+C	X	
8161SW009.52SGK Z3.0	58 CrV 4, 6-kt 9,52 mm 3 m-Stäbe +AC+C		X
8161SW010.00SGK Z3.0	58 CrV 4, 6-kt 10,00 mm 3 m-Stäbe +AC+C	X	
8161SW011.00SGK Z3.0	58 CrV 4, 6-kt 11,00 mm 3 m-Stäbe +AC+C	X	
8161SW012.00SGK Z170	58 CrV 4, 6-kt 12,0 mm 170 mm - Abschnitte +AC+C	X	
8161SW012.00SGK Z295	58 CrV 4, 6-kt 12,0 mm 295 mm - Abschnitte +AC+C	X	
8161SW012.00SGK Z3.0	58 CrV 4, 6-kt 12,00 mm 3 m-Stäbe +AC+C	X	
8161SW012.70SGK Z3.0	58 CrV 4, 6-kt 12,70 mm 3 m-Stäbe +AC+C	X	
8161SW013.00SGK Z3.0	58 CrV 4, 6-kt 13,00 mm 3 m-Stäbe +AC+C	X	
8161SW014.00SGK Z3.0	58 CrV 4, 6-kt 14,00 mm 3 m-Stäbe +AC+C	X	
8161SW014.28SGK Z3.0	58 CrV 4, 6-kt 14,28 mm 3 m-Stäbe +AC+C		X
8161SW015.00SGK Z3.0	58 CrV 4, 6-kt 15,00 mm 3 m-Stäbe +AC+C	X	
8161SW015.88SGK Z3.0	58 CrV 4, 6-kt 15,88 mm 3 m-Stäbe +AC+C		X
8161SW016.00SGK Z3.0	58 CrV 4, 6-kt 16,00 mm 3 m-Stäbe +AC+C	X	
8161SW017.00SGK Z3.0	58 CrV 4, 6-kt 17,00 mm 3 m-Stäbe +AC+C	X	
8161SW017.00SGK Z3.0SO	58 CrV 4, 6-kt 17,00 mm 3 m-Stäbe +AC+C (K)	X	
8161SW017.00SGK Z4.2	58 CrV 4, 6-kt 17,00 mm 4,2 m-Stäbe +AC+C	X	
8161SW019.00SGK Z3.0	58 CrV 4, 6-kt 19,00 mm 3 m-Stäbe +AC+C	X	
8161SW022.00SGK Z3.0	58 CrV 4, 6-kt 22,00 mm 3 m-Stäbe +AC+C	X	
8161SW022.00SGK Z4.5	58 CrV 4, 6-kt 22,00 mm 4,5 m-Stäbe +AC+C	X	
8161SW024.00SGK Z3.0	58 CrV 4, 6-kt 24,00 mm 3 m-Stäbe +AC+C	X	
8161SW027.00SGK Z3.0	58 CrV 4, 6-kt 27,00 mm 3 m-Stäbe +AC+C	X	
8161SW030.00SGK Z3.0	58 CrV 4, 6-kt 30,00 mm 3 m-Stäbe +AC+C	X	
8161SW032.00SGK Z3.0	58 CrV 4, 6-kt 32,00 mm 3 m-Stäbe +AC+C	X	
8161SW036.00SGK Z3.0	58 CrV 4, 6-kt 36,00 mm 3 m-Stäbe +AC+C	X	
8161VK006.35SGK GK3.0	58 CrV 4, 4-kt 6,35 mm 3 m-Stäbe +AC+C+A+C	X	
8161VK007.00SGW G3.0	58 CrV 4, 4-kt 7,00 mm 3 m-Stäbe, +A+CR+A+CR	X	
8161VK008.00SGK GK3.0	58 CrV 4, 4-kt 8,00 mm 3 m-Stäbe +AC+C+A+C	X	
8161VK008.00SGK GK3.0BON	58 CrV 4, 4-kt 8,00 mm 3 m-Stäbe +AC+C+A+C gebondert	X	
8161VK010.00SGK GK3.0	58 CrV 4, 4-kt 10,00 mm 3 m-Stäbe +AC+C+A+C	X	
8161VK012.70SGK GK3.0	58 CrV 4, 4-kt 12,70 mm 3 m-Stäbe +AC+C+A+C	X	
8161VK013.00SGK GK3.0	58 CrV 4, 4-kt 13,00 mm 3 m-Stäbe +AC+C+A+C	X	
8161VK019.05SGK GK3.0	58 CrV 4, 4-kt 19,05 mm 3 m-Stäbe +AC+C+A+C		X