



Artikelnummer	Artikelbeschreibung	Bestand	Neueingang
0501RD009.00S+U+C3.0	C 35 rund 9,0 mm 3 m Stäbe +U+C	X	
0501SW014.00S+U+C3.0	C 35 6kt 14 mm 3 m Stäbe, +U+C	X	
0503AK010.00S+U+C4.0	C 45 8-kt 10 mm 4 m Stäbe +U+C	X	
0503AK018.00S+U+C4.0	C 45 8-kt 18 mm 4 m Stäbe +U+C	X	
0503AK020.00S+U+C4.0	C 45 8-kt 20 mm 4 m Stäbe +U+C	X	
0503FL080X08S+AR+U6.0	C 45 flach 80 x 8 mm 6 m Stäbe +AR+U	X	
0503RD004.00S+U+C3.0	C 45 rund 4,0 mm 3 m Stäbe +U+C		X
0503RD006.00S+U+C3.0	C 45 rund 6,0 mm 3 m Stäbe +U+C	X	
0503RD007.00S+U+C3.0	C 45 rund 7,0 mm 3 m Stäbe +U+C	X	
0503RD008.00S+U+C3.0	C 45 rund 8,0 mm 3 m Stäbe +U+C	X	
0503RD010.00S+U+C3.0	C 45 rund 10 mm 3 m Stäbe +U+C	X	
0503RD020.00S+U+C3.0	C 45 rund 20 mm 3 m Stäbe +U+C	X	
0503RD025.00S+U+C3.0	C 45 rund 25 mm 3 m Stäbe +U+C	X	
0503SW006.00S+U+C3.0	C 45 6kt 6,0 mm 3 m Stäbe +U+C	X	
0504PBSW024.00S+A+C3.0	C 45 Pb 6kt 24 mm 3 m Stäbe +A+C	X	
0535RD006.00R+AC+C+A+C200	C 53 rund 6,0 mm 200 kg Ringe +AC+C+A+C		X
0601RD006.00R+AC+C+A+C500	C 60 rund 6,0 mm 500 kg Ringe +AC+C+A+C	X	
0601RD011.20S+A+C3.0	C 60 rund 11,20 mm 3 m-Stäbe +A+C	X	
0601RD016.10S+A+C6.0	C 60 rund 16,1 mm 6 m Stäbe +A+C	X	
0601SW002.50R+A+C+A+C100	C 60 6-kt 2,5 mm 100 kg Ringe +A+C+A+C	X	
0601SW005.00R+A+C+A+C100	C 60 6kt 5,0 mm 100 kg Ringe +A+C+A+C	X	
0601SW006.00R+A+C+A+C100	C 60 6kt 6,0 mm 100 kg Ringe +A+C+A+C	X	
0715RD020.00S+U+C3.0	11 SMn 30+C rund 20 mm 3 m Stäbe +U+C	X	
0715RD020.00SK3.0	11 SMn 30, rd 20,00 mm, 3 m-Stäbe, +U+C	X	
0718VK027.00S+U+C3.0	11 SMnPb 30 4kt 27 mm 3 m Stäbe +U+C	X	
1201RD025.885S+U+SL+PL4.0	C45 R (ZF50) rund 25,885 mm 4 m Stäbe,+U+SH+PL	X	
1201RD028.00S+U+SL+PL3.0	C45 R (ZF50) rund 28 mm 3 m Stäbe,+U+SH+PL	X	
1221FL080.00X08S+AR+U6.0	C60E fl 80 x 8,0 mm 6 m Stäbe +AR +U schmiede-/stauchfähig	X	
1221FL080.00X10S+AR+U6.0	C60E fl 80 x 10 mm 6 m Stäbe +AR +U schmiede-/stauchfähig	X	
1221FL100.00X08S+AR+U6.0	C60E fl 100 x 8,0 mm 6 m Stäbe +AR +U schmiede-/stauchfähig	X	
1620RD020.00S+AR+U6.5	C 70 W 2 rund 20 mm 6,5 m Stäbe +AR+U	X	
1620RD022.00S+AR+U6.0	C 70 W 2 rund 22 mm 6 m Stäbe +AR+U	X	
1620RD023.00S+AR+U6.0P	C 70 W 2 rund 23 mm 6 m Stäbe +AR+U	X	
1620RD025.00S+AR+U6.0P	C 70 W 2 rund 25 mm 6 m Stäbe +AR+U	X	
1620RD025.00S+AR+U6.5	C 70 W 2 rund 25 mm 6,5 m Stäbe +AR+U	X	
1620RD026.00S+AR+U6.0	C 70 W 2 rund 25 mm 6 m Stäbe +AR+U	X	
1620RD026.00S+AR+U6.0P	C 70 W 2 rund 25 mm 6 m Stäbe +AR+U	X	
1620RD026.00S+AR+U6.5	C 70 W 2 rund 26 mm 6 m Stäbe +AR+U	X	
1620RD027.00S+AR+U6.0P	C 70 W 2 rund 27 mm 6 m Stäbe +AR+U		X
1620RD030.00S+AR+U6.0P	C 70 W 2 rund 30 mm 6 m Stäbe +AR+U	X	
1620RD031.00S+AR+U6.0P	C 70 W 2 rund 31 mm 6 m Stäbe +AR+U	X	
1620RD031.00S+AR+U6.5	C 70 W 2 rund 31 mm 6,5 m Stäbe +AR+U	X	
1620RD035.00S+AR+U6.0P	C 70 W 2 rund 35 mm 6 m Stäbe +AR+U	X	
1620RD045.00S+AR+U6.0P	C 70 W 2 rund 45 mm 6 m Stäbe +AR+U	X	
1620SW020.50S+AR+U6.5	C 70 W 2 6kt 20,50 mm 6,5 m Stäbe +AR+U	X	
1620SW025.40S+A+C6.5	C 70 W 2 6kt 25,40 mm 6,5 m Stäbe +A+C	X	
1620SW028.70S+A+C6.0	C 70 W 2 6kt 28,70 mm 6,0 m Stäbe +A+C	X	
2208RD005.00S+A+C3.0	31 CrV 2 rund 5,0 mm 3 m Stäbe +A+C	X	
2208RD006.00S+A+C3.0	31 CrV 2 rund 6,0 mm 3 m Stäbe +A+C	X	
2208RD007.00S+A+C3.0	31 CrV 2 rund 7,0 mm 3 m Stäbe +A+C	X	
2208RD007.00S+A+C3.0H11	31 CrV 2 rund 7,0 mm 3 m Stäbe +A+C // H11	X	
2208RD008.00S+A+C3.0	31 CrV 2, rd 8,00 mm, 3 m-Stäbe, +A+C	X	
2208RD008.00S+A+C3.0GEF	31 CrV 2 rund 8,0 mm 3 m Stäbe +A+C gefast	X	
2208RD008.00S+A+C3.0H11	31 CrV 2 rund 8,0 mm 3 m Stäbe +A+C // H11	X	
2208RD008.00S+N+C3.0GEF	31 CrV 2 rund 8,0 mm 3 m Stäbe +N+C gefast		X
2208RD008.10S+A+C3.0	31 CrV 2 rund 8,1 mm 3 m Stäbe +A+C	X	
2208RD009.00S+A+C3.0GEF	31 CrV 2 rund 9,0 mm 3 m Stäbe +A+C gefast		X
2208RD010.00S+A+C3.0GEF	31 CrV 2 rund 10 mm 3 m Stäbe +A+C gefast		X
2208RD010.00S+N+C3.0GEF	31 CrV 2 rund 10 mm 3 m Stäbe +N+C gefast		X
2208RD011.00S+A+C3.0GEF	31 CrV 2 rund 11 mm 3 m Stäbe +A+C gefast	X	
2208RD011.00S+N+C3.0GEF	31 CrV 2 rund 11 mm 3 m Stäbe +N+C gefast		X
2208RD012.00S+A+C3.0	31 CrV 2 rund 12 mm 3 m Stäbe +A+C	X	
2208RD012.00S+A+C3.0GEF	31 CrV 2 rund 12 mm 3 m Stäbe +A+C gefast	X	
2208RD012.00SK3.0	31 CrV 2, rd 12,00 mm, 3 m-Stäbe, +A+C	X	
2208RD013.00S+A+C3.0	31 CrV 2 rund 13 mm 3 m Stäbe +A+C	X	
2208RD013.00S+A+C3.0GEF	31 CrV 2 rund 13 mm 3 m Stäbe +A+C gefast		X
2208RD014.00S+A+C3.0	31 CrV 2 rund 14 mm 3 m Stäbe +A+C	X	
2208RD014.00S+A+C3.0GEF	31 CrV 2 rund 14 mm 3 m Stäbe +A+C gefast	X	
2208RD014.00S+N+C3.0GEF	31 CrV 2 rund 14 mm 3 m Stäbe +N+C gefast		X
2208RD014.50S+A+C3.0	31 CrV 2 rund 14,5 mm 3 m Stäbe +A+C	X	



Artikelnummer	Artikelbeschreibung	Bestand	Neueingang
2208RD015.00S+A+C3.0	31 CrV 2 rund 15 mm 3 m Stäbe +A+C	X	
2208RD015.00S+N+C3.0GEF	31 CrV 2 rund 15 mm 3 m Stäbe +N+C gefast		X
2208RD016.00S+A+C3.0	31 CrV 2 rund 16 mm 3 m Stäbe +A+C	X	
2208RD017.00S+A+C3.0	31 CrV 2 rund 17 mm 3 m Stäbe +A+C	X	
2208RD018.00S+A+C3.0	31 CrV 2 rund 18 mm 3 m Stäbe +A+C	X	
2208RD018.00S+A+C3.0GEF	31 CrV 2 rund 18 mm 3 m Stäbe +A+C gefast		X
2208RD019.00S+A+C3.0GEF	31 CrV 2 rund 19 mm 3 m Stäbe +A+C gefast	X	
2208RD020.00S+A+C3.0	31 CrV 2 rund 20 mm 3 m Stäbe +A+C	X	
2208RD020.00S+A+C3.0GEF	31 CrV 2 rund 20 mm 3 m Stäbe +A+C gefast	X	
2208RD020.00S+A+C4.0	31 CrV 2 rund 20 mm 4 m Stäbe +A+C	X	
2208RD020.00S+N+C3.0GEF	31 CrV 2 rund 20 mm 3 m Stäbe +N+C gefast		X
2208RD022.00S+A+C3.0	31 CrV 2 rund 22 mm 3 m Stäbe +A+C	X	
2208RD022.00S+A+C3.0GEF	31 CrV 2 rund 22 mm 3 m Stäbe +A+C gefast	X	
2208RD024.00+A+C3.0GEF	31 CrV 2 rund 24 mm 3 m Stäbe +A+C gefast	X	
2208RD024.00S+A+C3.0	31 CrV 2 rund 24 mm 3 m Stäbe +A+C	X	
2208RD025.00S+A+C3.0	31 CrV 2 rund 25 mm 3 m Stäbe +A+C	X	
2208RD025.00S+A+C3.0GEF	31 CrV 2 rund 25 mm 3 m Stäbe +A+C gefast	X	
2208RD030.00S+A+C3.0GEF	31 CrV 2 rund 30 mm 3 m Stäbe +A+C gefast	X	
2208RD032.00S+A+C3.0	31 CrV 2 rund 32 mm 3 m Stäbe +A+C	X	
2208RD032.00S+A+C3.0GEF	31 CrV 2 rund 32 mm 3 m Stäbe +A+C gefast	X	
2208RD036.00S+A+C3.0	31 CrV 2 rund 36 mm 3 m Stäbe +A+C	X	
2208RD040.00S+A+C3.0	31 CrV 2 rund 40 mm 3 m Stäbe +A+C	X	
2208RD040.00S+A+C3.0GEF	31 CrV 2 rund 40 mm 3 m Stäbe +A+C gefast	X	
2208RD048.00S+A+C3.0GEF	31 CrV 2 rund 48 mm 3 m Stäbe +A+C gefast	X	
2210RD003.00S+AC+C+SL2.0	115 CrV 3 rund 3,0 mm 2 m Stäbe +AC+C+A+C+SL+PL	X	
2210RD003.20S+AC+C+SL2.0	115 CrV 3 rund 3,2 mm 2 m Stäbe +AC+C+A+C+SL+PL	X	
2210RD003.30S+AC+C+SL2.0	115 CrV 3 rund 3,3 mm 3 m Stäbe +AC+C+A+C+SL	X	
2210RD004.10S+AC+C+SL2.0	115 CrV 3 rund 4,1 mm 2 m Stäbe +AC+C+SL+PL	X	
2210RD004.10S+AC+C2.0	115 CrV 3 rund 4,1 mm 2 m Stäbe +AC+C	X	
2210RD005.00S+AC+C+SL2.0	115 CrV 3 rund 5,0 mm 2 m Stäbe +AC+C+SL+PL		X
2210RD006.00S+AC+C+SL2.0	115 CrV 3 rund 6,0 mm 2 m Stäbe +AC+C+SL+PL	X	
2210RD006.55S+AC+C2.0	115 CrV 3 rund 6,55 mm 2,025 m Stäbe +AC+C	X	
2210RD007.00S+AC+C+SL2.0	115 CrV 3 rund 7,0 mm 2 m Stäbe +AC+C+SL+PL	X	
2210RD008.00S+AC+C+SL2.0	115 CrV 3, rd 8,00 mm 2 m-Stäbe, +AC+C+SL+PL	X	
2210RD011.00S+AC+C+SL2.0	115 CrV 3 rund 11 mm 2 m Stäbe +AC+C+SL+PL	X	
2210RD012.00S+AC+C+SL2.0	115 CrV 3 rund 12 mm 2 m Stäbe +AC+C+SL+PL	X	
2210RD012.00S+AC+C+SL3.0	115 CrV 3 rund 12 mm 3 m Stäbe +AC+C+SL+PL	X	
2210RD012.50S+AC+C+SL2.0	115 CrV 3 rund 12,5 mm 2 m Stäbe +AC+C+SL+PL	X	
2210RD013.00S+AC+C+SL2.0	115 CrV 3 rund 13 mm 2 m Stäbe +AC+C+SL+PL	X	
2210RD014.00S+AC+C+SL2.0	115 CrV 3 rund 14 mm 2 m Stäbe +AC+C+SL+PL	X	
2210RD015.00S+AC+C+SL2.0	115 CrV 3 rund 15 mm 2 m Stäbe +AC+C+SL+PL	X	
2210RD016.00S+AC+C+SL2.0	115 CrV 3 rund 16 mm 2 m Stäbe +AC+C+SL+PL	X	
2210RD016.00SGKGS2.0	115 CrV 3, rd 16,00 mm 2 m-Stäbe, +AC+C+SL	X	
2210RD016.00SGKGS3.0	115 CrV 3, rd 16,00 mm 3 m-Stäbe, +AC+C+SL	X	
2210RD018.00S+AC+C+SL2.0	115 CrV 3 rund 18 mm 2 m Stäbe +AC+C+SL+PL	X	
2210RD020.00S+AC+C+SL2.0	115 CrV 3 rund 20 mm 2 m Stäbe +AC+C+SL+PL	X	
2210RD022.00S+AC+C+SL2.0	115 CrV 3 rund 22 mm 2 m Stäbe +AC+C+SL+PL		X
2210RD030.00S+AC+C+SL2.0	115 CrV 3 rund 30 mm 2 m Stäbe +AC+C+SL+PL	X	
2210RD035.00S+AC+C+SL2.0	115 CrV 3 rund 35 mm 2 m Stäbe +AC+C+SL+PL	X	
2210RD036.00S+AC+C+SL2.0	115 CrV 3 rund 36 mm 2 m Stäbe +AC+C+SL+PL	X	
2210RD050.00S+AC+C+SL2.0	115 CrV 3 rund 50 mm 2 m Stäbe +AC+C+SL+PL		X
2210RD060.00S+AC+C+SL2.0	115 CrV 3 rund 60 mm 2 m Stäbe +AC+C+SL+PL	X	
2241RD018.00S+AC+C3.0	51 CrMnV 4 rund 18 mm 3 m Stäbe +AC+C	X	
2241RD025.00S+AC+C3.0	51 CrMnV 4 rund 25 mm 3 m Stäbe +AC+C	X	
2243RD002.50R+AC+C+A+C500	61 CrSiV 5 rund 2,5 mm 500 kg Ringe +AC+C+A+C	X	
2243RD002.50SGKKG3.0	61 CrSiV 5, rd 2,50 mm 3 m-Stäbe, +AC+C+A+C	X	
2243RD003.00R+AC+C+A+C500	61 CrSiV 5 rund 3,0 mm 500 kg Ringe +AC+C+A+C	X	
2243RD003.00S+AC+C+A+C3.0	61 CrSiV 5 rund 3,0 mm 3 m Stäbe +AC+C+A+C	X	
2243RD003.50R+AC+C+A+C500	61 CrSiV 5 rund 3,5 mm 500 kg Ringe +AC+C+A+C	X	
2243RD003.50S+AC+C+A+C3.0	61 CrSiV 5 rund 3,5 mm 3 m Stäbe +AC+C+A+C		X
2243RD004.00R+AC+C+A+C500	61 CrSiV 5 rund 4,0 mm 500 kg Ringe +AC+C+A+C	X	
2243RD004.00S+AC+C+A+C3.0	61 CrSiV 5 rund 4,0 mm 3 m Stäbe +AC+C+A+C	X	
2243RD004.0S+AC+C+A+C1585	61 CrSiV 5 rund 4,0 mm 158,5 mm adiab. Abschn. +AC+C+A+C	X	
2243RD004.50R+AC+C+A+C500	61 CrSiV 5 rund 4,5 mm 500 kg Ringe +AC+C+A+C	X	
2243RD004.50S+AC+C+A+C136	61 CrSiV 5 rund 4,5 mm 136 mm adiab. Abschn. +AC+C+A+C	X	
2243RD004.50S+AC+C+A+C3.0	61 CrSiV 5 rund 4,5 mm 3 m Stäbe +AC+C+A+C	X	
2243RD005.00R+AC+C+A+C500	61 CrSiV 5 rund 5,0 mm 500 kg Ringe +AC+C+A+C	X	
2243RD005.00S+AC+C+A+C3.0	61 CrSiV 5 rund 5,0 mm 3 m Stäbe +AC+C+A+C	X	
2243RD005.50R+AC+C+A+C500	61 CrSiV 5 rund 5,5 mm 500 kg Ringe +AC+C+A+C	X	
2243RD005.50S+AC+C+A+C3.0	61 CrSiV 5 rund 5,5 mm 3 m Stäbe +AC+C+A+C	X	



Artikelnummer	Artikelbeschreibung	Bestand	Neueingang
2243RD006.00R+AC+C+A+C500	61 CrSiV 5 rund 6,0 mm 500 kg Ringe +AC+C+A+C	X	
2243RD006.00S+AC+C+A+C155	61 CrSiV 5 rund 6,0 mm 155 mm adiab. Abschn. +AC+C+A+C	X	
2243RD006.00S+AC+C+A+C3.0	61 CrSiV 5 rund 6,0 mm 3 m Stäbe +AC+C+A+C	X	
2243RD006.50R+AC+C+A+C500	61 CrSiV 5 rund 6,5 mm 500 kg Ringe +AC+C+A+C	X	
2243RD006.50S+AC+C+A+C3.0	61 CrSiV 5 rund 6,5 mm 3 m Stäbe +AC+C+A+C	X	
2243RD007.00R+AC+C+A+C500	61 CrSiV 5 rund 7,0 mm 500 kg Ringe +AC+C+A+C	X	
2243RD007.00S+AC+C+A+C3.0	61 CrSiV 5 rund 7,0 mm 3 m Stäbe +AC+C+A+C	X	
2243RD007.80SGKKG3.0SO	61 CrSiV 5 rund 7,8 mm 3 m Stäbe +AC+C+A+C	X	
2243RD008.00S+AC+C3.0	61 CrSiV 5 rund 8,0 mm 3 m Stäbe +AC+C	X	
2243RD009.00S+AC+C3.0	61 CrSiV 5 rund 9,0 mm 3 m Stäbe +AC+C	X	
2243RD010.00S+AC+C+A+C3.0	61 CrSiV 5 rund 10 mm 3 m Stäbe +AC+C+A+C	X	
2243RD011.00S+AC+C3.0	61 CrSiV 5 rund 11 mm 3 m Stäbe +AC+C	X	
2249RD014.00S+AC+C6.0	45 SiCrV 6, rd 14,00 mm 4 m-Stäbe, +AC+C	X	
2249RD017.88S+AC+SH+PL4.0	45 SiCrV 6, rd 17,88 mm 4 m-Stäbe, +AC+SH+PL	X	
2249RD017.88SGKZSH4.0	45 SiCrV 6, rd 17,88 mm 4 m-Stäbe, +AC+SH+PL	X	
2249RD017.91S+AC+SH+PL6.0	45 SiCrV 6, rd 17,91 mm 6 m-Stäbe, +AC+SH+PL		X
2249RD022.00S+AR+A6.0P	45 SiCrV 6, rd 22,00 mm 6 m-Stäbe, +AR+A, DIN 10060P	X	
2249RD025.00S+AR+A6.0	45 SiCrV 6, rd 25,00 mm 6 m-Stäbe, +AR+A	X	
2249RD026.00S+AR+A6.0P	45 SiCrV 6, rd 26,00 mm, 6-6,3 m Stäbe, +AR+A, DIN 10060 P		X
2249RD035.00S+AR+A+SH6.0	45 SiCrV 6, rd 36,00 mm, 3 m - Stäbe, +AR+A+SH	X	
2249RD035.00S+AR+A6.0	45 SiCrV 6, rd 35,00 mm 6-6,3 m Stäbe, +AR+A, DIN 10060 P	X	
2249RD036.00S+AC+C3.0	45 SiCrV 6, rd 36,00 mm 3 m-Stäbe, +A+C		X
2249RD037.00SGKSH3.0	45 SiCrV 6, rd 37,00 mm, 3 m - Stäbe, +AC+SH+PL		X
2249RD038.00S+A+SH+PL3.0	45 SiCrV 6, rd 38,00 mm, 3 m - Stäbe, +A+SH+PL		X
2249RD048.00SGKSH3.0	45 SiCrV 6, rd 48,00 mm, 3 m - Stäbe, +A+SH+PL	X	
2328AK008.00S+AC+C4.0	45 CrMoV 7 8kt 8,0 mm 4 m Stäbe +AC+C	X	
2328AK010.00S+AC+C4.0	45 CrMoV 7 8kt 10 mm 4 m Stäbe +AC+C	X	
2328AK010.00SGK4.0	45 CrMoV 7 8kt 10 mm 4 m Stäbe +AC+C		X
2328AK012.00S+AC+C3.0	45 CrMoV 7 8kt 12 mm 3 m Stäbe +AC+C	X	
2328AK012.00S+AC+C4.0	45 CrMoV 7 8kt 12 mm 4 m Stäbe +AC+C	X	
2328AK012.00SGK4.0	45 CrMoV 7 8kt 12 mm 4 m Stäbe +AC+C	X	
2328AK014.00S+AC+C4.0	45 CrMoV 7 8kt 14 mm 4 m Stäbe +AC+C	X	
2328AK016.00S+AC+C4.0	45 CrMoV 7 8kt 16 mm 4 m Stäbe +AC+C	X	
2328AK018.00S+AC+C4.0	45 CrMoV 7 8kt 18 mm 4 m Stäbe +AC+C	X	
2328AK018.00SGK4.0	45 CrMoV 7 8kt 18 mm 4 m Stäbe +AC+C		X
2328AK020.00S+AC+C3.8	45 CrMoV 7 8kt 20 mm 3,8 m Stäbe +AC+C	X	
2379RD030.00SGSH3.0	X 153 CrVMo 12 1, rund 30,0 mm Stäbe		X
2381RD002.00S+AC+C+A+C3.0	73 MoV 5 2 rund 2,0 mm 3 m Stäbe +AC+C+A+C	X	
2381RD002.50R+AC+C+A+C500	73 MoV 5 2, rd 2,50 mm, 500 kg-Ringe +AC+C+A+C	X	
2381RD002.50S+AC+C+A+C3.0	73 MoV 5 2 rund 2,5 mm 3 m Stäbe +AC+C+A+C	X	
2381RD002.50S+AC+C+A+C3BD	73 MoV 5 2 rund 2,5 mm 3 m Stäbe +AC+C+A+C / BD		X
2381RD002.80S+AC+C+A+C3.0	73 MoV 5 2 rund 2,8 mm 3 m Stäbe +AC+C+A+C	X	
2381RD003.00R+AC+C+A+C200	73 MoV 5 2 rund 3,0 mm 200 kg Ringe +AC+C+A+C /FE		X
2381RD003.00S+AC+C+A+C113	73 MoV 5 2 rund 3,0 mm 113 mm adiab. Abschnitte +AC+C+A+C	X	
2381RD003.00S+AC+C+A+C3.0	73 MoV 5 2 rund 3,0 mm 3 m Stäbe +AC+C+A+C	X	
2381RD003.00S+AC+C+A+C3BD	73 MoV 5 2 rund 3,0 mm 3 m Stäbe +AC+C+A+C / BD		X
2381RD003.20S+AC+C+A+C3.0	73 MoV 5 2 rund 3,2 mm 3 m Stäbe +AC+C+A+C	X	
2381RD003.50R+AC+C+A+C500	73 MoV 5 2 rund 3,5 mm 500 kg Ringe +AC+C+A+C	X	
2381RD003.50S+AC+C+A+C3.0	73 MoV 5 2 rund 3,5 mm 3 m Stäbe +AC+C+A+C	X	
2381RD003.50S+AC+C+A+C3BD	73 MoV 5 2 rund 3,5 mm 3 m Stäbe +AC+C+A+C / BD		X
2381RD003.50SGKKG3.0	73 MoV 5 2 rund 3,5 mm 3 m Stäbe +AC+C+A+C		X
2381RD004.00+AC+C+A+C3.0	73 MoV 5 2 rund 4,0 mm 3 m Stäbe +AC+C+A+C		X
2381RD004.00R+AC+C+A+C350	73 MoV 5 2 rund 4,0 mm 350 kg Ringe +AC+C+A+C	X	
2381RD004.00S+AC+C+A+C142	73 MoV 5 2 rund 4,0 mm 142 mm adiab. Abschnitte +AC+C+A+C	X	
2381RD004.00S+AC+C+A+C3BD	73 MoV 5 2 rund 4,0 mm 3 m Stäbe +AC+C+A+C / BD		X
2381RD004.00SGKKG3.0	73 MoV 5 2 rund 4,0 mm 3 m Stäbe +AC+C+A+C		X
2381RD004.50R+AC+C+A+C250	73 MoV 5 2 rund 4,5 mm 250 kg Ringe +AC+C+A+C FE/TR		X
2381RD004.50R+AC+C+A+C900	73 MoV 5 2 rund 4,5 mm 900 kg Ringe +AC+C+A+C	X	
2381RD004.50SGKKG3.0	73 MoV 5 2 rund 4,5 mm 3 m Stäbe +AC+C+A+C	X	
2381RD005.00R+AC+C+A+C350	73 MoV 5 2 rund 5,0 mm 350 kg Ringe +AC+C+A+C	X	
2381RD005.00S+AC+C+A+C181	73 MoV 5 2 rund 5,0 mm 181 mm Abschnitte +AC+C+A+C	X	
2381RD005.00S+AC+C+A+C3.0	73 MoV 5 2 rund 5,0 mm 3 m Stäbe +AC+C+A+C	X	
2381RD005.0S+AC+C+A+C3GEF	73 MoV 5 2 rund 5,0 mm 3 m Stäbe +AC+C+A+C gefast		X
2381RD005.50S+AC+C+A+C3.0	73 MoV 5 2 rund 5,5 mm 3 m Stäbe +AC+C+A+C	X	
2381RD005.5S+AC+C+A+C3GEF	73 MoV 5 2 rund 5,5 mm 3 m Stäbe +AC+C+A+C gefast	X	
2381RD006.00R+AC+C+A+C350	73 MoV 5 2 rund 6,0 mm 350 kg Ringe +AC+C+A+C	X	
2381RD006.00R+AC+C+A+C900	73 MoV 5 2 rund 6,0 mm 900 kg Ringe +AC+C+A+C		X
2381RD006.00S+AC+C+A+C3.0	73 MoV 5 2, rd 6,00 mm, 3 m-Stäbe +AC+C+A+C	X	
2381RD006.00SGKKG3.0	73 MoV 5 2, rd 6,00 mm, 3 m-Stäbe +AC+C+A+C		X
2381RD006.0S+AC+C+A+C3GEF	73 MoV 5 2 rund 6,0 mm 3 m Stäbe +AC+C+A+C gefast		X



Artikelnummer	Artikelbeschreibung	Bestand	Neueingang
2381RD006.50S+AC+C+A+C3.0	73 MoV 5 2 rund 6,5 mm 3 m Stäbe +AC+C+A+C	X	
2381RD006.5S+AC+C+A+C3GEF	73 MoV 5 2 rund 6,5 mm 3 m Stäbe +AC+C+A+C gefast	X	
2381RD007.00S+AC+C+A+C3.0	73 MoV 5 2 rund 7,0 mm 3 m Stäbe +AC+C+A+C	X	
2381RD007.0S+AC+C+A+C3GEF	73 MoV 5 2 rund 7,0 mm 3 m Stäbe +AC+C+A+C gefast	X	
2381RD008.00S+AC+C+A+C3.0	73 MoV 5 2 rund 8,0 mm 3 m Stäbe +AC+C+A+C	X	
2381RD008.00SGK GK3.0	73 MoV 5 2 rund 8,0 mm 3 m Stäbe +AC+C+A+C		X
2381RD008.0S+AC+C+A+C3GEF	73 MoV 5 2 rund 8,0 mm 3 m Stäbe +AC+C+A+C gefast	X	
2381RD009.00S+AC+C3.0	73 MoV 5 2 rund 9,0 mm 3 m Stäbe +AC+C	X	
2381RD010.00S+AC+C+A+C3.0	73 MoV 5 2 rund 10 mm 3 m Stäbe +AC+C+A+C	X	
2381RD010.00S+AC+C3.0	73 MoV 5 2 rund 10 mm 3 m Stäbe +AC+C	X	
2381RD011.00S+AC+C3.0	73 MoV 5 2 rund 11 mm 3 m Stäbe +AC+C	X	
2381RD012.00S+AC+C3.0	73 MoV 5 2 rund 12 mm 3 m Stäbe +AC+C	X	
2381RD012.00SGK3.0	73 MoV 5 2, rd 12,00 mm, 3 m-Stäbe +AC+C	X	
2381RD014.00S+AC+C3.0	73 MoV 5 2 rund 14 mm 3 m Stäbe +AC+C	X	
2381RD014.00SGK3.0	73 MoV 5 2, rd 14,00 mm, 3 m-Stäbe +AC+C	X	
2381RD016.00S+AC+C3.0	73 MoV 5 2 rund 16 mm 3 m Stäbe +AC+C	X	
2381RD019.00S+AC+C3.0	73 MoV 5 2 rund 19 mm 3 m Stäbe +AC+C	X	
2381RD020.00S+AC+C3.0	73 MoV 5 2 rund 20 mm 3 m Stäbe +AC+C	X	
2381RD025.00S+AC+C3.0	73 MoV 5 2 rund 25 mm 3 m Stäbe +AC+C	X	
2381SW001.50S+AC+C+A+C1.5	73 MoV 5 2 6kt 1,5 mm 1,5 m Stäbe +AC+C+A+C	X	
2381SW001.59R+AC+C+A+C100	73 MoV 5 2 6kt 1,59 mm 100 kg Ringe +AC+C+A+C (1/16")	X	
2381SW001.59S+AC+C+A+C1.5	73 MoV 5 2 6kt 1,59 mm 1,5 m Stäbe +AC+C+A+C (1/16")	X	
2381SW002.00R+AC+C+A+C20	73 MoV 5 2 6kt 2,0 mm 20 kg Ringe +AC+C+A+C		X
2381SW002.38R+AC+C+A+C30	73 MoV 5 2 6kt 2,38 mm 20 kg Ringe +AC+C+A+C	X	
2381SW002.38S+AC+C+A+C3.0	73 MoV 5 2 6kt 2,38 mm 3 m Stäbe +AC+C+A+C	X	
2381SW002.50R+AC+C+A+C25	73 MoV 5 2 6kt 2,50 mm 25 kg Ringe +AC+C+A+C	X	
2381SW002.50S+AC+C+A+C3.0	73 MoV 5 2 6kt 2,50 mm 3 m Stäbe +AC+C+A+C	X	
2381SW002.78S+AC+C+A+C3.0	73 MoV 5 2 6kt 2,78 mm 3 m Stäbe +AC+C+A+C (7/64")	X	
2381SW003.00S+AC+C+A+C3.0	73 MoV 5 2 6kt 3,0 mm 3 m Stäbe +AC+C+A+C	X	
2381SW004.00S+AC+C+A+C3.0	73 MoV 5 2 6kt 4,0 mm 3 m Stäbe +AC+C+A+C	X	
2381SW004.00S+AC+C+A+C3FA	73 MoV 5 2 6kt 4,0 mm 3 m Stäbe +AC+C+A+C eins. gef.	X	
2381SW004.76S+AC+C+A+C3.0	73 MoV 5 2 6kt 4,76 mm 3 m Stäbe +AC+C+A+C (3/16")	X	
2381SW005.00R+AC+C+A+C250	73 MoV 5 2 6kt 5,0 mm 250 kg Ringe +AC+C+A+C FE/TR		X
2381SW005.00S+AC+C+A+C3.0	73 MoV 5 2 6kt 5,0 mm 3 m Stäbe +AC+C+A+C	X	
2381SW005.56S+AC+C+A+C3.0	73 MoV 5 2 6kt 5,56 mm 3 m Stäbe +AC+C+A+C (7/32")	X	
2381SW005.96S+AC+C+A+C3.0	73 MoV 5 2 6kt 5,96 mm 3 m Stäbe +AC+C+A+C	X	
2381SW006.00RGK GK200_01	73 MoV 5 2 6kt 6,0 mm 200 kg Ringe +AC+C+A+C / FE	X	
2381SW006.00S+AC+C+A+C3.0	73 MoV 5 2 6kt 6,0 mm 3 m Stäbe +AC+C+A+C	X	
2381SW006.00S+AC+C+A+C3FA	73 MoV 5 2 6kt 6,0 mm 3 m Stäbe +AC+C+A+C eins. gef.	X	
2381SW006.00SGK GK3.0	73 MoV 5 2, 6-kt 6,00 mm 3 m-Stäbe +AC+C+A+C	X	
2381SW006.31GK GK3.0ST	73 MoV 5 2 6kt 6,31 mm 3 m Stäbe +AC+C+A+C / FE	X	
2381SW006.33R+AC+C+A+C500	73 MoV 5 2 6kt 6,33 mm 500 kg Ringe +AC+C+A+C	X	
2381SW006.33RGK GK200_01	73 MoV 5 2 6kt 6,33 mm 200 kg Ringe +AC+C+A+C / FE	X	
2381SW006.33SGK GK3.0ST	73 MoV 5 2 6kt 6,33 mm 3 m Stäbe +AC+C+A+C (1/4")	X	
2381SW007.93S+AC+C+A+C3.0	73 MoV 5 2 6kt 7,93 mm 3 m Stäbe +AC+C+A+C (5/16")	X	
2381SW008.00RGK GK200_01	73 MoV 5 2 6kt 8,0 mm 200 kg Ringe +AC+C+A+C / FE	X	
2381SW008.00S+AC+C+A+C3.0	73 MoV 5 2 6kt 8,0 mm 3 m Stäbe +AC+C+A+C	X	
2381SW009.53S+AC+C3.0	73 MoV 5 2 6kt 9,53 mm 3 m Stäbe +AC+C	X	
2381SW010.00S+AC+C+A+C3.0	73 MoV 5 2 6kt 10 mm 3 m Stäbe +AC+C+A+C	X	
2381SW010.00SGK GK3.0	73 MoV 5 2, 6-kt 10,00 mm 3 m-Stäbe, +AC+C+A+C	X	
2381SW011.00S+AC+C+A+C3.0	73 MoV 5 2 6kt 11 mm 3 m Stäbe +AC+C+A+C	X	
2381SW011.11S+AC+C+A+C3.0	73 MoV 5 2 6kt 11,11 mm 3 m Stäbe +AC+C+A+C (7/16")	X	
2381SW012.00S+AC+C+A+C3.0	73 MoV 5 2 6kt 12 mm 3 m Stäbe +AC+C+A+C	X	
2381SW014.00S+AC+C+A+C3.0	73 MoV 5 2 6kt 14 mm 3 m Stäbe +AC+C+A+C	X	
3343RD006.00S+A+C3.0	S 6-5-2, rd 6,00 mm 3 m-Stäbe, +A+C	X	
3343RD006.10S+A+C+SL4.0	S 6-5-2, rd 6,10 mm 4 m-Stäbe, +A+C+SL	X	
3343RD006.10S+A+C3.0	S 6-5-2, rd 6,10 mm 3 m-Stäbe, +A+C	X	
3343RD006.10S+A+C4.0	S 6-5-2, rd 6,10 mm 4 m-Stäbe, +A+C	X	
3343RD010.20S+A+C3.0	S 6-5-2, rd 10,20 mm 3 m-Stäbe, +A+C	X	
3343RD011.20S+A+C3.0	S 6-5-2, rd 11,20 mm 3,1 m-Stäbe, +A, grob bearbeitet	X	
3343RD011.65S+A+C+SL3.0	S 6-5-2, rd 11,65 mm 3 m-Stäbe, +A+C+SL	X	
3343RD012.00S+A+C3.1	S 6-5-2, rd 12,00 mm 3,1 m-Stäbe, +A+C, grob bearbeitet		X
3343RD013.00S+A+C3.0	S 6-5-2, rd 13,00 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3343RD016.20S+A+C3.0	S 6-5-2, rd 16,20 mm 3 m-Stäbe, + A grob bearbeitet		X
3343RD017.20S+A+SH3.0	S 6-5-2, rd 17,20 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3343RD020.20S+A+C+SH3.0	S 6-5-2, rd 20,20 mm 3 m-Stäbe, +A+C grob bearbeitet	X	
3343RD021.20S+A+SH3.0	S 6-5-2, rd 21,20 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3343RD022.20S+A+SH3.0	S 6-5-2, rd 22,20 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3343RD023.00S+A+SH3.0	S 6-5-2, rd 23,00 mm 3-4 m-Stäbe, +A+SH	X	
3343RD026.30S+A+SH3.0	S 6-5-2, rd 26,30 mm 3 m-Stäbe, +A, grob bearbeitet	X	



Artikelnummer	Artikelbeschreibung	Bestand	Neueingang
3343RD030.20S+A+SH3.0	S 6-5-2, rd 30,20 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3343RD030.50S+A+SH3.0	S 6-5-2, rd 30,50 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3343RD031.20S+A+SH4.0	S 6-5-2, rd 31,20 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3343RD036.20S+A+SH3.0	S 6-5-2, rd 36,20 mm 3 m-Stäbe, +A, grob bearbeitet	X	
3343RD038.00S+A+SH3.0	S 6-5-2, rd 38,00 mm 3-4 m-Stäbe, +A+SH	X	
3505RD020.00SGK3.0	100 Cr 6, rd 20,00 mm 3 m-Stäbe, +AC+C, Sonderanalyse	X	
3505RD021.00S+SH+AC+PL3.0	100 Cr 6, rd 21,00 mm, 3 m-Stäbe, +AC+SH	X	
3505RD022.00S+AR+A3.0	100 Cr 6, rd 22,00 mm, 3 m-Stäbe, +AR+A	X	
4034RD004.50SGK3.0	X 46 Cr 13, rd 4,50 mm 3 m-Stäbe, +A+C	X	
4034RD004.50SGKSL3.0	X 46 Cr 13, rd 4,50 mm 3 m-Stäbe, +A+C+SL+PL	X	
4034RD005.00SGK3.0	X 46 Cr 13, rd 5,00 mm 3 m-Stäbe, +A+C	X	
4034RD006.50SGKSL3.0	X 46 Cr 13, rd 6,50 mm 3 m-Stäbe, +A+C+SL+PL	X	
4034RD007.00SGKSL3.0	X 46 Cr 13, rd 7,00 mm 3 m-Stäbe, +A+C+SL+PL	X	
4034SW006.33SGK3.0	X 46 Cr 13, 6-kt 6,33 mm 3 m-Stäbe, +AC+C+A+C	X	
6582RD009.95SGKZGZ3.0	34 CrNiMo 6, rd 9,95 mm, 3 m-Stäbe +AC+C	X	
6582RD009.96S+AC+C3.9	34 CrNiMo 6, rd 9,96 mm, 3,9 m-Stäbe +AC+C		X
6582RD010.00SGKZGZ3.0	34 CrNiMo 6, rd 10,00 mm, 3 m-Stäbe +AC+C		X
6582RD011.00SGKZGZ3.0	34 CrNiMo 6, rd 11,00 mm, 3 m-Stäbe +AC+C	X	
6582RD012.00S+AC+C3.0GEF	34 CrNiMo 6, rd 12,00 mm, 3 m-Stäbe +AC+C, gefast		X
6582RD013.00SGKZGZ3.0	34 CrNiMo 6, rd 13,00 mm, 3 m-Stäbe +AC+C	X	
6582RD013.98S+AC+C3.9	34 CrNiMo 6, rd 13,98 mm, 3,9 m-Stäbe +AC+C	X	
6582RD014.00SGKZGZ3.0	34 CrNiMo 6, rd 14,00 mm, 3 m-Stäbe +AC+C	X	
6582RD015.00SGKZGZ3.0	34 CrNiMo 6, rd 15,00 mm, 3 m-Stäbe +AC+C		X
6582RD016.00S+AC+C3.0GEF	34 CrNiMo 6, rd 16,00 mm, 3 m-Stäbe +AC+C, gefast		X
6582RD017.00SGKZGZ3.0	34 CrNiMo 6, rd 17,00 mm, 3 m-Stäbe +AC+C	X	
6582RD018.00S+AC+C3.0GEF	34 CrNiMo 6, rd 18,00 mm, 3 m-Stäbe +AC+C, gefast	X	
6582RD018.00SGKZGZ3.0	34 CrNiMo 6, rd 18,00 mm, 3 m-Stäbe +AC+C		X
6582RD020.00SGK3.0	34 CrNiMo 6, rd 20,00 mm, 3 m-Stäbe +AC+C	X	
6582RD022.00SGKZGZ3.0	34 CrNiMo 6, rd 22,00 mm, 3 m-Stäbe +AC+C	X	
6582RD023.00SGKZGZ3.0	34 CrNiMo 6, rd 23,00 mm, 3 m-Stäbe +AC+C		X
6582RD024.00SGKZGZ3.0	34 CrNiMo 6, rd 24,00 mm, 3 m-Stäbe +AC+C	X	
6582RD026.00S+AC+C3.0	34 CrNiMo 6, rd 26,00 mm 3,0 m-Stäbe, +AC+C	X	
6582RD026.00S+AC+C3.9	34 CrNiMo 6, rd 26,00 mm 3,9 m-Stäbe, +AC+C		X
6582RD028.00S+AC+C3.0	34 CrNiMo 6, rd 28,00 mm 3,0 m-Stäbe, +AC+C	X	
6582RD028.00S+AC+C3.9	34 CrNiMo 6, rd 28,00 mm 3,9 m-Stäbe, +AC+C	X	
6582RD029.00SGKZSH3.0	34 CrNiMo 6, rd 29,00 mm 3 m-Stäbe, +AC+SH		X
6582RD030.00S+AC+C3.0	34 CrNiMo 6, rd 30,00 mm 3,0 m-Stäbe, +AC+C	X	
6582RD030.00S+AC+C3.9	34 CrNiMo 6, rd 30,00 mm 3,9 m-Stäbe, +AC+C	X	
6582RD032.00SGKZGZ3.0	34 CrNiMo 6, rd 32,00 mm 3 m-Stäbe, +AC+C	X	
6582RD040.00SGKZGZ3.0	34 CrNiMo 6, rd 40,00 mm 3 m-Stäbe, +AC+C	X	
6582RD042.00S+AC+SH3.9	34 CrNiMo 6, rd 42,00 mm 3,9 m-Stäbe, +AC+SH		X
6582RD042.00SGKZSH3.0	34 CrNiMo 6, rd 42,00 mm 3 m-Stäbe, +AC+SH	X	
7131RD012.20SGKSL3.0	16 MnCr 5, rd 12,20 mm 3 m-Stäbe, +A+C+SL+PL	X	
7131RD022.20SGK3.0	16 MnCr 5, rd 22,20 mm 3 m-Stäbe, +U+C	X	
7131RD040.00SGK3.0	16 MnCr 5, rd 40,00 mm, 3 m-Stäbe, +A+C	X	
7139RD014.00SGK3.0	16 MnCrS 5, rd 14,00 mm 3 m-Stäbe, +AC+C	X	
7139RD050.00SFP5H2.0	16 MnCrS 5, rd 50,00 mm 2 m-Stäbe, +FP+SH, 2-fach gefast	X	
7139RD058.00SFP5H2.0	16 MnCrS 5, rd 58,00 mm 2 m-Stäbe, +FP+SH, 2-fach gefast	X	
7139RD058.00SFP5H782	16 MnCrS 5, rd 58,00 mm, 78,2 mm - Abschnitte, +FP+SH	X	
7225RD017.98SGKSHSLPL3.6	42 CrMo 4, rd 17,98 mm 3,6 m-Stäbe, +A+C+SL+PL	X	
7225RD028.00SGWG6.0	42 CrMo 4, rd 28,00 mm 6 m-Stäbe,+AR+A	X	
7225RD030.00SGSHV3.0	42 CrMo 4, rd 30,00 mm 4 m-Stäbe,+QT+SH	X	
7225RD036.00SGWG6.0	42 CrMo 4, rd 36,00 mm 6 m-Stäbe,+A+AR	X	
7225RD040.00SGK3.0	42 CrMo 4, rd 40,00 mm 3 m-Stäbe, +AC+C	X	
7227RD010.00SGK3.0	42 CrMoS 4, rd 10,00 mm, 3 m-Stäbe,+A+C	X	
7227RD012.00SGK3.0	42 CrMoS 4, rd 12,00 mm, 3 m-Stäbe,+A+C	X	
7227RD013.00SGK3.0	42 CrMoS 4, rd 13,00 mm, 3 m-Stäbe,+A+C	X	
7227RD014.00SGK3.0	42 CrMoS 4, rd 14,00 mm, 3 m-Stäbe,+A+C	X	
7227RD015.00SGK3.0GEF.	42 CrMoS 4, rd 15,00 mm, 3 m-Stäbe,+A+C, 2-fach gefast	X	
7227RD016.00SGK3.0	42 CrMoS 4, rd 16,00 mm, 3 m-Stäbe,+A+C	X	
7227RD016.50SGK3.0	42 CrMoS 4, rd 16,50 mm, 3 m-Stäbe,+A+C	X	
7227RD020.00SGK3.0GEF.	42 CrMoS 4, rd 20,00 mm, 3 m-Stäbe,+A+C, 2-fach gefast		X
7227RD023.00SGK3.0	42 CrMoS 4, rd 23,00 mm, 3 m-Stäbe +A+C	X	
7227RD024.00SGK3.0GEF.	42 CrMoS 4, rd 24,00 mm, 3 m-Stäbe +A+C, 2-fach gefast	X	
7227RD025.00SGK3.0	42 CrMoS 4, rd 25,00 mm, 3 m-Stäbe,+A+C	X	
7227RD026.00SGK3.0GEF.	42 CrMoS 4, rd 26,00 mm, 3 m-Stäbe,+A+C, 2-fach gefast	X	
7227RD028.00SGK3.0	42 CrMoS 4, rd 28,00 mm, 3 m-Stäbe,+A+C	X	
7227RD030.00SGK3.0	42 CrMoS 4, rd 30,00 mm, 3 m-Stäbe,+A+C	X	
7227RD032.00SGK3.0GEF.	42 CrMoS 4, rd 32,00 mm, 3 m-Stäbe,+A+C, 2-fach gefast	X	
7227RD040.00SGK3.0GEF.	42 CrMoS 4, rd 40,00 mm, 3 m-Stäbe,+A+C, 2-fach gefast	X	



Artikelnummer	Artikelbeschreibung	Bestand	Neueingang
7227RD042.00SGK3.0GEF.	42 CrMoS 4, rd 42,00 mm, 3 m-Stäbe,+A+C, 2-fach gefast	X	
7792RD0003.00RGKKG500	58 CrV 4 + Mo, rd 3,00 mm 500 kg Ringe, +AC+C+A+C, 550 MPa	X	
7792RD0004.00RGKKG500	58 CrV 4 + Mo, rd 4,00 mm 500 kg Ringe, +AC+C+A+C, 550 MPa	X	
7792RD0005.00RGKKG500	58 CrV 4 + Mo, rd 5,00 mm 500 kg- Ringe, +AC+C+A+C, 550 MPa	X	
7792RD0006.00RGKKG500	58 CrV 4 + Mo, rd 6,00 mm 500 kg- Ringe, +AC+C+A+C, 550 MPa	X	
7792RD0007.00RGKKG200	58 CrV 4 + Mo, rd 7,00 mm 200 kg- Ringe, +AC+C+A+C	X	
7792RD0007.00RGKKG500	58 CrV 4 + Mo, rd 7,00 mm 300kg- Ringe, +AC+C+A+C, 550 MPa	X	
7792RD0008.00RGKKG200	58 CrV 4 + Mo, rd 8,00 mm 200 kg- Ringe, +AC+C+A+C	X	
7792RD0008.00RGKKG500	58 CrV 4 + Mo, rd 8,00 mm 500 kg- Ringe, +AC+C+A+C, 550 MPa	X	
7792SW010.00SGKZ3.0	58 CrV 4 + Mo, 6-kt 10,0 mm, 3 m-Stäbe +AC+C	X	
8159RD001.79RGKKG30	51 CrV 4, rd 1,79 mm, 30 kg-Ringe +AC+C+A+C	X	
8159SW010.00SGKZ3.0	51 CrV 4, 6-kt 10,00 mm, 3 m-Stäbe +AC+C	X	
8161AK008.00SGK3.0	58 CrV 4, 8-kt 8,00 mm, 3 m-Stäbe, +AC+C	X	
8161AK010.00SGK3.0	58 CrV 4, 8-kt 10,00 mm, 3 m-Stäbe, +AC+C	X	
8161AK010.00SGK3.6	58 CrV 4, 8-kt 10,00 mm, 3,6 m-Stäbe, +AC+C	X	
8161AK010.00SGK4.0	58 CrV 4, 8-kt 10,00 mm, 4 m-Stäbe, +AC+C	X	
8161AK012.00SGK3.6_01	58 CrV 4, 8-kt 12,0 mm, 3,6 m-Stäbe, +AC+C	X	
8161AK014.00SGKZ4.0	58 CrV 4, 8-kt 14,00 mm, 4 m - Stäbe, +AC+C	X	
8161AK016.00SGKZ4.0	58 CrV 4, 8-kt 16,00 mm, 4 m - Stäbe, +AC+C	X	
8161AK018.00SGKZ4.0	58 CrV 4, 8-kt 18,00 mm, 4 m - Stäbe, +AC+C	X	
8161AK020.00SGKZ3.9	58 CrV 4, 8-kt 20,00 mm, 3,9 m - Stäbe, +AC+C	X	
8161AK020.00SGKZ4.0	58 CrV 4, 8-kt 20,00 mm, 4 m - Stäbe, +AC+C	X	
8161AK022.00SGKZ4.0	58 CrV 4, 8-kt 22,0 mm, 4 m - Stäbe, +AC+C	X	
8161FL014X009S+A+CR4.0	58 CrV 4, flov 14 x 9 mm, 4 m - Stäbe, +A+CR+A+CR	X	
8161FL017X011S+A+CR4.0	58 CrV 4, flov 17 x 11 mm, 4 m - Stäbe, +A+CR+A+CR	X	
8161FL020X012S+A+CR4.0	58 CrV 4, flov 20 x 12 mm, 4 m - Stäbe, +A+CR+A+CR	X	
8161FL020X012S+AC+C	58 CrV 4, flov 20 x 12 mm, 4 m - Stäbe, +AC+C	X	
8161FL023X013S+A+CR4.0	58 CrV 4, flov 23 x 13 mm, 4 m - Stäbe, +A+CR+A+CR	X	
8161FL026X007S+A+CR4.0	58 CrV 4, flov 26 x 7 mm, 4 m - Stäbe, +A+CR+A+CR	X	
8161FL026X007S+A+CR6.0G	58 CrV 4, flov 26 x 7 mm, 6 m - Stäbe, +A+CR+A+CR spezial	X	
8161FL026X013S+A+CR4.0	58 CrV 4, flov 26 x 13 mm, 4 m - Stäbe, +A+CR+A+CR	X	
8161FL026X013S+AC+C4.0	58 CrV 4, flov 26 x 13 mm, 4 m - Stäbe, +AC+C	X	
8161FL028X007S+A+CR4.0	58 CrV 4, flov 28 x 7 mm, 4 m - Stäbe, +A+CR+A+CR	X	
8161RD002.50R+AC+C+A+C300	58 CrV 4, rd 2,50 mm, 250-300 kg- Ringe +AC+C+A+C (F)	X	
8161RD002.50RGKKG200_01	58 CrV 4, rd 2,50 mm, 200 kg- Ringe +AC+C+A+C	X	
8161RD003.00R+AC+C+A+C300	58 CrV 4, rd 3,00 mm, 250-300 kg- Ringe +AC+C+A+C (F)	X	
8161RD003.00S+AC+C+A+C3.0	58 CrV 4, rd 3,00 mm 3 m-Stäbe, +AC+C+A+C		X
8161RD003.60SGKKG3.0	58 CrV 4, rd 3,60 mm 3 m-Stäbe, +AC+C+A+C	X	
8161RD004.00R+AC+C+A+C300	58 CrV 4, rd 4,00 mm, 250-300 kg- Ringe +AC+C+A+C (F)	X	
8161RD004.00SGKKG3.0	58 CrV 4, rd 4,00 mm 3 m-Stäbe, +AC+C+A+C	X	
8161RD004.50R+AC+C+A+C300	58 CrV 4, rd 4,50 mm, 250-300 kg- Ringe +AC+C+A+C (F)	X	
8161RD004.50RGKKG200_01	58 CrV 4, rd 4,50 mm, 200 kg- Ringe +AC+C+A+C	X	
8161RD004.50SGK3.0	58 CrV 4, rd 4,50 mm 3 m-Stäbe, +AC+C	X	
8161RD004.90SGK3.0	58 CrV 4, rd 4,90 mm 3 m-Stäbe, +AC+C	X	
8161RD005.00R+AC+C+A+C800	58 CrV 4, rd 5,00 mm, 500-800 kg- Ringe +AC+C+A+C (F)	X	
8161RD005.00SGK3.0	58 CrV 4, rd 5,00 mm 3 m-Stäbe, +AC+C	X	
8161RD005.50R+AC+C+A+C800	58 CrV 4, rd 5,50 mm, 500-800 kg- Ringe +AC+C+A+C (F)	X	
8161RD005.50S+AC+C3.0	58 CrV 4, rd 5,50 mm 3 m-Stäbe, +AC+C	X	
8161RD006.00SGK3.0	58 CrV 4, rd 6,00 mm 3 m-Stäbe, +AC+C		X
8161RD006.50SGK3.0	58 CrV 4, rd 6,50 mm 3 m-Stäbe, +AC+C	X	
8161RD007.00SGKKG3.0	58 CrV 4, rd 7,00 mm 3 m-Stäbe, +AC+C+A+C, < 600 MPa	X	
8161RD007.00SKG3.0	58 CrV 4, rd 7,00 mm 3 m-Stäbe, +AC+C	X	
8161RD007.20SGK3.0	58 CrV 4, rd 7,20 mm 3 m-Stäbe, +AC+C	X	
8161RD008.00SGK2.9	58 CrV 4, rd 8,00 mm 2,9 m- Stäbe +AC+C, Tol. -0/+100 mm	X	
8161RD008.00SGK3.0	58 CrV 4, rd 8,00 mm 3 m-Stäbe, +AC+C	X	
8161RD008.00SGKKG3.0	58 CrV 4, rd 8,00 mm 3 m-Stäbe, +AC+C+A+C,< 600 MPa	X	
8161RD008.50SGK3.0	58 CrV 4, rd 8,50 mm 3 m-Stäbe, +AC+C	X	
8161RD008.80SGK3.0	58 CrV 4, rd 8,80 mm 3 m-Stäbe, +AC+C	X	
8161RD009.00SGK3.0	58 CrV 4, rd 9,00 mm 3 m-Stäbe, +AC+C	X	
8161RD009.50SGK2.9	58 CrV 4, rd 9,50 mm, 2,9 m-Stäbe, +AC+C, Tol. -0/+100 mm	X	
8161RD010.00S+AC+C3.0	58 CrV 4, rd 10,00 mm 3 m-Stäbe, +AC+C	X	
8161RD010.00SGKKG3.0SO	58 CrV 4, rd 10,00 mm 3 m-Stäbe, +AC+C+A+C, < 600 MPa	X	
8161RD011.00S+AC+C3.0	58 CrV 4, rd 11,00 mm 3 m-Stäbe, +AC+C	X	
8161RD011.50+AC+C3.0	58 CrV 4, rd 11,50 mm 3 m-Stäbe, +AC+C	X	
8161RD012.00S+AC+C3.0	58 CrV 4, rd 12,00 mm 3 m-Stäbe, +AC+C	X	
8161RD012.50S+AC+C3.0	58 CrV 4, rd 12,50 mm 3 m-Stäbe, +AC+C	X	
8161RD013.00S+AC+C3.0	58 CrV 4, rd 13,00 mm 3 m-Stäbe, +AC+C		X
8161RD014.00S+AC+C3.0	58 CrV 4, rd 14,00 mm 3 m-Stäbe, +AC+C	X	
8161RD015.00S+AC+C3.0	58 CrV 4, rd 15,00 mm 3 m-Stäbe, +AC+C	X	
8161RD016.00S+AC+C3.0	58 CrV 4, rd 16,00 mm 3 m-Stäbe, +AC+C	X	



Artikelnummer	Artikelbeschreibung	Bestand	Neueingang
8161RD017.00S+AC+C3.0	58 CrV 4, rd 17,00 mm 3 m-Stäbe, +AC+C	X	
8161RD018.00S+AC+C3.0	58 CrV 4, rd 18,00 mm 3 m-Stäbe, +AC+C	X	
8161RD019.00SGK3.0	58 CrV 4, rd 19,00 mm 3 m-Stäbe, +AC+C	X	
8161RD020.00+AC+C3.0	58 CrV 4, rd 20,00 mm 3 m-Stäbe, +AC+C	X	
8161RD020.00SGK3.0	58 CrV 4, rd 20,00 mm 3 m-Stäbe, +AC+C	X	
8161RD022.00S+AC+C3.0	58 CrV 4, rd 22,00 mm 3 m-Stäbe, +AC+C	X	
8161RD023.00SGK3.0	58 CrV 4, rd 23,00 mm 3 m-Stäbe, +AC+C	X	
8161RD024.00SGK3.0	58 CrV 4, rd 24,00 mm 3 m-Stäbe, +AC+C	X	
8161RD025.00+A+C3.0	58 CrV 4, rd 25,00 mm 3 m-Stäbe, +A+C+PL gefast	X	
8161RD025.00SGK3.0	58 CrV 4, rd 25,00 mm 3 m-Stäbe, +AC+C	X	
8161RD026.00SGK3.0	58 CrV 4, rd 26,00 mm 3 m-Stäbe, +AC+C	X	
8161RD027.00SGK3.0	58 CrV 4, rd 27,00 mm 3 m-Stäbe, +AC+C	X	
8161RD028.00S+AC+C3.0	58 CrV 4, rd 28,00 mm 3 m-Stäbe, +AC+C	X	
8161RD030.00SGK3.0	58 CrV 4, rd 30,00 mm 3 m-Stäbe,+AC+C gefast	X	
8161RD030.00SGK4.0	58 CrV 4, rd 30,00 mm 4 m-Stäbe, +AC+C	X	
8161RD032.00SGK3.0	58 CrV 4, rd 32,00 mm 3 m-Stäbe, +AC+C	X	
8161RD032.00SGKZSKH3.0	58 CrV 4, rd 32,00 mm 3 m-Stäbe, +AC+SH	X	
8161RD035.00S+AC+C3.0	58 CrV 4, rd 35,00 mm 3 m-Stäbe, +AC+C	X	
8161RD036.00S+AC+C3.0	58 CrV 4, rd 36,00 mm 3 m-Stäbe, +AC+C	X	
8161RD038.00SGK3.0	58 CrV 4, rd 38,00 mm 3 m-Stäbe, +AC+C	X	
8161RD040.00SGK3.0	58 CrV 4, rd 40,00 mm 3 m-Stäbe, +AC+C	X	
8161RD044.00SGKZSH3.0	58 CrV 4, rd 44,00 mm 3 m-Stäbe, +AC+SH	X	
8161SW001.19RGK GK300	58 CrV 4, 6-kt 1,19 mm 300 kg - Ringe +AC+C+A+C	X	
8161SW001.50RGK GK100	58 CrV 4, 6-kt 1,50 mm 100 kg - Ringe +AC+C+A+C	X	
8161SW002.38SGK GK3.0	58 CrV 4, 6-kt 2,38 mm 3 m-Stäbe +AC+C+A+C	X	
8161SW002.50RGK GK100	58 CrV 4, 6-kt 2,50 mm 100 kg - Ringe +AC+C+A+C	X	
8161SW002.78SGK GK3.0	58 CrV 4, 6-kt 2,78 mm 3 m-Stäbe +AC+C+A+C	X	
8161SW003.00RGK GK100	58 CrV 4, 6-kt 3,00 mm 100 kg - Ringe+AC+C+A+C	X	
8161SW003.00S+AC+C+A+C3.0	58 CrV 4, 6-kt 3,00 mm 3 m-Stäbe +AC+C+A+C		X
8161SW003.96SGK GK3.0	58 CrV 4, 6-kt 3,97 mm 3 m-Stäbe +AC+C+A+C	X	
8161SW003.97RGK GK100	58 CrV 4, 6-kt 3,97 mm 100 kg - Ringe +AC+C+A+C	X	
8161SW004.00R+AC+C+A+C800	58 CrV 4, 6-kt 4,00 mm 500 - 800 kg - Ringe +AC+C+A+C (F)		X
8161SW004.00RGK GK100	58 CrV 4, 6-kt 4,00 mm 100 kg - Ringe +AC+C+A+C	X	
8161SW004.00SGK GK3.0	58 CrV 4, 6-kt 4,00 mm 3 m-Stäbe +AC+C+A+C	X	
8161SW005.00R+AC+C+A+C500	58 CrV 4, 6-kt 5,00 mm 500 kg - Ringe +AC+C+A+C		X
8161SW005.00S+AC+C3.0	58 CrV 4, 6-kt 5,00 mm 3 m-Stäbe +AC+C	X	
8161SW005.56S+AC+C+A+C3.0	58 CrV 4, 6-kt 5,56 mm 3 m-Stäbe +AC+C+A+C (7/32")	X	
8161SW006.00RGK GK100	58 CrV 4, 6-kt 6,00 mm 100 kg - Ringe+AC+C+A+C	X	
8161SW006.00S+AC+C3.0	58 CrV 4, 6-kt 6,00 mm 3 m-Stäbe +AC+C	X	
8161SW006.33SGK GK3.0	58 CrV 4, 6-kt 6,33 mm 3 m-Stäbe +AC+C	X	
8161SW007.00S+AC+C3.0	58 CrV 4, 6-kt 7,00 mm 3 m-Stäbe +AC+C	X	
8161SW007.93S+AC+C3.0	58 CrV 4, 6-kt 7,93 mm 3 m-Stäbe +AC+C (5/16")		X
8161SW008.00RGK GK100	58 CrV 4, 6-kt 8,00 mm 100 kg - Ringe +AC+C+A+C		X
8161SW008.00S+AC+C3.0	58 CrV 4, 6-kt 8,00 mm 3 m-Stäbe +AC+C		X
8161SW008.00SGK Z3.0	58 CrV 4, 6-kt 8,00 mm 3 m-Stäbe +AC+C	X	
8161SW009.00S+AC+C3.0	58 CrV 4, 6-kt 9,00 mm 3 m-Stäbe +AC+C	X	
8161SW009.52S+AC+C3.0	58 CrV 4, 6-kt 9,52 mm 3 m-Stäbe +AC+C		X
8161SW009.52SGK Z3.0	58 CrV 4, 6-kt 9,52 mm 3 m-Stäbe +AC+C		X
8161SW010.00S+AC+C3.0	58 CrV 4, 6-kt 10,00 mm 3 m-Stäbe +AC+C	X	
8161SW010.00SGK Z3.0	58 CrV 4, 6-kt 10,00 mm 3 m-Stäbe +AC+C	X	
8161SW011.00S+AC+C3.0	58 CrV 4, 6-kt 11,00 mm 3 m-Stäbe +AC+C	X	
8161SW012.00S+AC+C3.0	58 CrV 4, 6-kt 12,00 mm 3 m-Stäbe +AC+C	X	
8161SW012.00SGK Z170	58 CrV 4, 6-kt 12,0 mm 170 mm - Abschnitte +AC+C	X	
8161SW012.00SGK Z295	58 CrV 4, 6-kt 12,0 mm 295 mm - Abschnitte +AC+C	X	
8161SW012.70S+AC+C3.0	58 CrV 4, 6-kt 12,70 mm 3 m-Stäbe +AC+C	X	
8161SW013.00S+AC+C3.0	58 CrV 4, 6-kt 13,00 mm 3 m-Stäbe +AC+C	X	
8161SW014.00S+AC+C3.0	58 CrV 4, 6-kt 14,00 mm 3 m-Stäbe +AC+C	X	
8161SW014.00SGK Z3.0	58 CrV 4, 6-kt 14,00 mm 3 m-Stäbe +AC+C	X	
8161SW014.28S+AC+C3.0	58 CrV 4, 6-kt 14,28 mm 3 m-Stäbe +AC+C		X
8161SW015.00S+AC+C3.0	58 CrV 4, 6-kt 15,00 mm 3 m-Stäbe +AC+C	X	
8161SW015.88SGK Z3.0	58 CrV 4, 6-kt 15,88 mm 3 m-Stäbe +AC+C		X
8161SW016.00S+AC+C3.0	58 CrV 4, 6-kt 16,00 mm 3 m-Stäbe +AC+C	X	
8161SW016.00SGK Z3.0	58 CrV 4, 6-kt 16,00 mm 3 m-Stäbe +AC+C		X
8161SW017.00SGK Z3.0	58 CrV 4, 6-kt 17,00 mm 3 m-Stäbe +AC+C	X	
8161SW017.00SGK Z4.2	58 CrV 4, 6-kt 17,00 mm 4,2 m-Stäbe +AC+C	X	
8161SW019.00SGK Z3.0	58 CrV 4, 6-kt 19,00 mm 3 m-Stäbe +AC+C	X	
8161SW022.00SGK Z3.0	58 CrV 4, 6-kt 22,00 mm 3 m-Stäbe +AC+C	X	
8161SW022.00SGK Z4.5	58 CrV 4, 6-kt 22,00 mm 4,5 m-Stäbe +AC+C	X	
8161SW024.00SGK Z3.0	58 CrV 4, 6-kt 24,00 mm 3 m-Stäbe +AC+C	X	
8161SW027.00SGK Z3.0	58 CrV 4, 6-kt 27,00 mm 3 m-Stäbe +AC+C	X	

## Lagerbestandsliste



**WILHELM JUNGERMANN GMBH**  
STAHLVERTRIEB & PARTNER FÜR DIE WERKZEUGINDUSTRIE

Artikelnummer	Artikelbeschreibung	Bestand	Neueingang
8161SW030.00SGKZ3.0	58 CrV 4, 6-kt 30,00 mm 3 m-Stäbe +AC+C	X	
8161SW032.00SGKZ3.0	58 CrV 4, 6-kt 32,00 mm 3 m-Stäbe +AC+C	X	
8161VK006.35SGK GK3.0	58 CrV 4, 4-kt 6,35 mm 3 m-Stäbe +AC+C+A+C	X	
8161VK007.00SGWG3.0	58 CrV 4, 4-kt 7,00 mm 3 m-Stäbe, +A+CR+A+CR	X	
8161VK008.00SGK GK3.0	58 CrV 4, 4-kt 8,00 mm 3 m-Stäbe +AC+C+A+C	X	
8161VK010.00SGK GK3.0	58 CrV 4, 4-kt 10,00 mm 3 m-Stäbe +AC+C+A+C	X	
8161VK012.70SGK GK3.0	58 CrV 4, 4-kt 12,70 mm 3 m-Stäbe +AC+C+A+C	X	
8161VK013.00SGK GK3.0	58 CrV 4, 4-kt 13,00 mm 3 m-Stäbe +AC+C+A+C	X	
8161VK019.05SGK GK3.0	58 CrV 4, 4-kt 19,05 mm 3 m-Stäbe +AC+C+A+C	X	
8550RD025.00S+QT+AR6.0	34CrAlNi 7-10, rd 25.00 mm, ca. 6 m Stäbe, +QT+AR		X
8550RD045.00S+QT+AR6.0	34CrAlNi 7-10, rd 45.00 mm, ca. 6 m Stäbe, +QT+AR		X