



| Artikelnummer | Artikelbeschreibung | Bestand | Neueingang |
|---------------------------|---|---------|------------|
| 0501SW014.00S+U+C3.0 | C 35 6kt 14 mm 3 m Stäbe, +U+C | X | |
| 0503AK018.00S+U+C4.0 | C 45 8-kt 18 mm 4 m Stäbe +U+C | X | |
| 0503RD004.00S+U+C3.0 | C 45 rund 4,0 mm 3 m Stäbe +U+C | X | |
| 0503RD006.00S+U+C3.0 | C 45 rund 6,0 mm 3 m Stäbe +U+C | X | |
| 0503RD007.00S+U+C3.0 | C 45 rund 7,0 mm 3 m Stäbe +U+C | X | |
| 0503RD008.00S+U+C3.0 | C 45 rund 8,0 mm 3 m Stäbe +U+C | X | |
| 0503RD010.00S+U+C3.0 | C 45 rund 10 mm 3 m Stäbe +U+C | X | |
| 0503RD020.00S+U+C3.0 | C 45 rund 20 mm 3 m Stäbe +U+C | X | |
| 0503RD025.00S+U+C3.0 | C 45 rund 25 mm 3 m Stäbe +U+C | X | |
| 0503RD027.00S+U+C3.0 | C 45 rund 27 mm 3 m Stäbe +U+C | X | |
| 0503SW006.00S+U+C3.0 | C 45 6kt 6.0 mm 3 m Stäbe +U+C | | X |
| 0504PBSW024.00S+A+C3.0 | C 45 Pb 6kt 24 mm 3 m Stäbe +A+C | X | |
| 0535RD007.00R+AC+C+A+C300 | C 53 rund 7,0 mm 300 kg Ringe +AC+C+A+C | X | |
| 0601RD003.00R+AC+C+A+C500 | C 60 rund 3,0 mm 500 kg Ringe +AC+C+A+C | X | |
| 0601RD011.20S+A+C3.0 | C 60 rund 11,20 mm 3 m-Stäbe +A+C | X | |
| 0601RD016.10S+A+C6.0 | C 60 rund 16,1 mm 6 m Stäbe +A+C | X | |
| 0601SW005.00R+AC+C+A+C100 | C 60 6kt 5,0 mm 100 kg Ringe +AC+C+A+C | X | |
| 0601SW006.00R+AC+C+A+C100 | C 60 6kt 6,0 mm 100 kg Ringe +AC+C+A+C | X | |
| 0715RD020.00S+U+C3.0 | 11 SMn 30+C rund 20 mm 3 m Stäbe +U+C | X | |
| 0718VK027.00S+U+C3.0 | 11 SMnPb 30 4kt 27 mm 3 m Stäbe +U+C | X | |
| 0736RD019.00S+C3.0 | 11SMn37 rd 19,00 mm, 3 m-Stäbe,+C, beids.gefast | X | |
| 1201RD025.885S+U+SL+PL4.0 | C45 R (ZF50) rund 25,885 mm 4 m Stäbe,+U+SH+PL | X | |
| 1201RD026.10S+U+SH+PL4.0 | C45 R (ZF50) rund 26,1 mm 4 m Stäbe,+U+SH+PL | X | |
| 1201RD028.00S+U+SL+PL3.0 | C45 R (ZF50) rund 28 mm 3 m Stäbe,+U+SH+PL | X | |
| 1620RD020.00S+AR+U6.5 | C 70 W 2 rund 20 mm 6,5 m Stäbe +AR+U | X | |
| 1620RD025.00S+AR+U6.0P | C 70 W 2 rund 25 mm 6 m Stäbe +AR+U | X | |
| 1620RD025.00S+AR+U6.5 | C 70 W 2 rund 25 mm 6,5 m Stäbe +AR+U | X | |
| 1620RD027.00S+AR+U6.0P | C 70 W 2 rund 27 mm 6 m Stäbe +AR+U | X | |
| 1620RD030.00S+AR+U6.0P | C 70 W 2 rund 30 mm 6 m Stäbe +AR+U | X | |
| 1620RD031.00S+AR+U6.0P | C 70 W 2 rund 31 mm 6 m Stäbe +AR+U | X | |
| 1620RD045.00S+AR+U6.0P | C 70 W 2 rund 45 mm 6 m Stäbe +AR+U | X | |
| 1620SW020.50S+AR+U6.5 | C 70 W 2 6kt 20,50 mm 6,5 m Stäbe +AR+U | X | |
| 1620SW025.40S+A+C6.5 | C 70 W 2 6kt 25,40 mm 6,5 m Stäbe +A+C | X | |
| 1620SW031.50S+A+C6.0 | C 70 W 2 6kt 31,50 mm 6,0 m Stäbe +A+C | X | |
| 2208RD005.00S+A+C3.0 | 31 CrV 2 rund 5,0 mm 3 m Stäbe +A+C | X | |
| 2208RD006.00S+A+C3.0 | 31 CrV 2 rund 6,0 mm 3 m Stäbe +A+C | X | |
| 2208RD007.00S+A+C3.0 | 31 CrV 2 rund 7,0 mm 3 m Stäbe +A+C | X | |
| 2208RD007.00S+A+C3.0H11 | 31 CrV 2 rund 7,0 mm 3 m Stäbe +A+C / h11 | X | |
| 2208RD008.00S+A+C3.0GEF | 31 CrV 2 rund 8,0 mm 3 m Stäbe +A+C gefast | X | |
| 2208RD008.10S+A+C3.0 | 31 CrV 2 rund 8,1 mm 3 m Stäbe +A+C | X | |
| 2208RD009.00S+A+C3.0GEF | 31 CrV 2 rund 9,0 mm 3 m Stäbe +A+C gefast | | X |
| 2208RD010.00S+A+C3.0GEF | 31 CrV 2 rund 10 mm 3 m Stäbe +A+C gefast | X | |
| 2208RD010.00S+N+C3.0GEF | 31 CrV 2 rund 10 mm 3 m Stäbe +N+C gefast | | X |
| 2208RD011.00S+A+C3.0GEF | 31 CrV 2 rund 11 mm 3 m Stäbe +A+C gefast | X | |
| 2208RD011.00S+N+C3.0GEF | 31 CrV 2 rund 11 mm 3 m Stäbe +N+C gefast | | X |
| 2208RD012.00S+A+C3.0GEF | 31 CrV 2 rund 12 mm 3 m Stäbe +A+C gefast | X | |
| 2208RD013.00S+A+C3.0GEF | 31 CrV 2 rund 13 mm 3 m Stäbe +A+C gefast | X | |
| 2208RD014.00S+A+C3.0GEF | 31 CrV 2 rund 14 mm 3 m Stäbe +A+C gefast | X | |
| 2208RD014.00S+N+C3.0GEF | 31 CrV 2 rund 14 mm 3 m Stäbe +N+C gefast | | X |
| 2208RD014.50S+A+C3.0 | 31 CrV 2 rund 14,5 mm 3 m Stäbe +A+C | X | |
| 2208RD015.00S+A+C3.0 | 31 CrV 2 rund 15 mm 3 m Stäbe +A+C | X | |
| 2208RD015.00S+N+C3.0GEF | 31 CrV 2 rund 15 mm 3 m Stäbe +N+C gefast | | X |
| 2208RD016.00S+A+C3.0GEF | 31 CrV 2 rund 16 mm 3 m Stäbe +A+C gefast | | X |
| 2208RD017.00S+A+C3.0 | 31 CrV 2 rund 17 mm 3 m Stäbe +A+C | X | |
| 2208RD018.00S+A+C3.0GEF | 31 CrV 2 rund 18 mm 3 m Stäbe +A+C gefast | X | |
| 2208RD019.00S+A+C3.0GEF | 31 CrV 2 rund 19 mm 3 m Stäbe +A+C gefast | X | |
| 2208RD020.00S+A+C3.0 | 31 CrV 2 rund 20 mm 3 m Stäbe +A+C | X | |
| 2208RD020.00S+A+C3.0GEF | 31 CrV 2 rund 20 mm 3 m Stäbe +A+C gefast | X | |
| 2208RD020.00S+A+C4.0 | 31 CrV 2 rund 20 mm 4 m Stäbe +A+C | X | |
| 2208RD022.00S+A+C3.0 | 31 CrV 2 rund 22 mm 3 m Stäbe +A+C | X | |
| 2208RD022.00S+A+C3.0GEF | 31 CrV 2 rund 22 mm 3 m Stäbe +A+C gefast | X | |
| 2208RD024.00+A+C3.0GEF | 31 CrV 2 rund 24 mm 3 m Stäbe +A+C gefast | X | |
| 2208RD024.00S+A+C3.0 | 31 CrV 2 rund 24 mm 3 m Stäbe +A+C | X | |
| 2208RD025.00S+A+C3.0 | 31 CrV 2 rund 25 mm 3 m Stäbe +A+C | X | |
| 2208RD025.00S+A+C3.0GEF | 31 CrV 2 rund 25 mm 3 m Stäbe +A+C gefast | X | |
| 2208RD030.00S+A+C3.0GEF | 31 CrV 2 rund 30 mm 3 m Stäbe +A+C gefast | X | |
| 2208RD032.00S+A+C3.0 | 31 CrV 2 rund 32 mm 3 m Stäbe +A+C | X | |
| 2208RD032.00S+A+C3.0GEF | 31 CrV 2 rund 32 mm 3 m Stäbe +A+C gefast | X | |
| 2208RD036.00S+A+C3.0 | 31 CrV 2 rund 36 mm 3 m Stäbe +A+C | X | |
| 2208RD040.00S+A+C3.0 | 31 CrV 2 rund 40 mm 3 m Stäbe +A+C | X | |



| Artikelnummer | Artikelbeschreibung | Bestand | Neueingang |
|---------------------------|--|---------|------------|
| 2208RD040.00S+A+C3.0GEF | 31 CrV 2 rund 40 mm 3 m Stäbe +A+C gefast | X | |
| 2208RD048.00S+A+C3.0GEF | 31 CrV 2 rund 48 mm 3 m Stäbe +A+C gefast | X | |
| 2210RD003.00S+AC+C+SL2.0 | 115 CrV 3 rund 3,0 mm 2 m Stäbe +AC+C+A+C+SL+PL | | X |
| 2210RD003.30S+AC+C+SL2.0 | 115 CrV 3 rund 3,3 mm 3 m Stäbe +AC+C+A+C+SL | X | |
| 2210RD004.00S+AC+C+SL2.0 | 115 CrV 3 rund 4,0 mm 2 m-Stäbe, AC+C+A+C+SL+PL | X | |
| 2210RD004.10S+AC+C+SL2.0 | 115 CrV 3 rund 4,1 mm 2 m Stäbe +AC+C+SL+PL | X | |
| 2210RD004.10S+AC+C2.0 | 115 CrV 3 rund 4,1 mm 2 m Stäbe +AC+C | X | |
| 2210RD005.00S+AC+C+SL2.0 | 115 CrV 3 rund 5,0 mm 2 m Stäbe +AC+C+SL+PL | X | |
| 2210RD006.00S+AC+C+SL2.0 | 115 CrV 3 rund 6,0 mm 2 m Stäbe +AC+C+SL+PL | X | |
| 2210RD006.00S+AC+C+SL3.0 | 115 CrV 3 rund 6,0 mm 3 m Stäbe +AC+C+SL+PL | X | |
| 2210RD006.55S+AC+C2.0 | 115 CrV 3 rund 6,55 mm 2,025 m Stäbe +AC+C | X | |
| 2210RD007.00S+AC+C+SL2.0 | 115 CrV 3 rund 7,0 mm 2 m Stäbe +AC+C+SL+PL | X | |
| 2210RD008.00S+AC+C+SL2.0 | 115 CrV 3 rund 8,00 mm 2 m-Stäbe, +AC+C+SL+PL | X | |
| 2210RD010.00S+AC+C+SL2.0 | 115 CrV 3 rund 10,0 mm 2 m Stäbe +AC+C+SL+PL | X | |
| 2210RD011.00S+AC+C+SL2.0 | 115 CrV 3 rund 11 mm 2 m Stäbe +AC+C+SL+PL | X | |
| 2210RD012.00S+AC+C+SL2.0 | 115 CrV 3 rund 12 mm 2 m Stäbe +AC+C+SL+PL | X | |
| 2210RD012.00S+AC+C+SL3.0 | 115 CrV 3 rund 12 mm 3 m Stäbe +AC+C+SL+PL | X | |
| 2210RD012.50S+AC+C+SL2.0 | 115 CrV 3 rund 12,5 mm 2 m Stäbe +AC+C+SL+PL | X | |
| 2210RD013.00S+AC+C+SL2.0 | 115 CrV 3 rund 13 mm 2 m Stäbe +AC+C+SL+PL | X | |
| 2210RD014.00S+AC+C+SL2.0 | 115 CrV 3 rund 14 mm 2 m Stäbe +AC+C+SL+PL | X | |
| 2210RD015.00S+AC+C+SL2.0 | 115 CrV 3 rund 15 mm 2 m Stäbe +AC+C+SL+PL | X | |
| 2210RD016.00S+AC+C+SL2.0 | 115 CrV 3 rund 16 mm 2 m Stäbe +AC+C+SL+PL | X | |
| 2210RD018.00S+AC+C+SL2.0 | 115 CrV 3 rund 18 mm 2 m Stäbe +AC+C+SL+PL | X | |
| 2210RD020.00S+AC+C+SL2.0 | 115 CrV 3 rund 20 mm 2 m Stäbe +AC+C+SL+PL | X | |
| 2210RD022.00S+AC+C+SL2.0 | 115 CrV 3 rund 22 mm 2 m Stäbe +AC+C+SL+PL | X | |
| 2210RD025.00S+AC+C+SL2.0 | 115 CrV 3 rund 25 mm 2 m Stäbe +AC+C+SL+PL | X | |
| 2210RD035.00S+AC+C+SL2.0 | 115 CrV 3 rund 35 mm 2 m Stäbe +AC+C+SL+PL | X | |
| 2210RD036.00S+AC+C+SL2.0 | 115 CrV 3 rund 36 mm 2 m Stäbe +AC+C+SL+PL | X | |
| 2210RD050.00S+AC+C+SL2.0 | 115 CrV 3 rund 50 mm 2 m Stäbe +AC+C+SL+PL | | X |
| 2210RD060.00S+AC+C+SL2.0 | 115 CrV 3 rund 60 mm 2 m Stäbe +AC+C+SL+PL | X | |
| 2242AK018.00S+AC+C4.0 | 59 CrV 4 8kt 18 mm 4 m Stäbe +AC+C | X | |
| 2242SW009.00S+AC+C+A+C3.0 | 59 CrV 4 6kt 9,0 mm 3 m Stäbe +AC+C+A+C | X | |
| 2243RD002.50S+AC+C+A+C3.0 | 61 CrSiV 5 rund 2,5 mm 3 m Stäbe +AC+C+A+C | X | |
| 2243RD003.00R+AC+C+A+C500 | 61 CrSiV 5 rund 3,0 mm 500 kg Ringe +AC+C+A+C | X | |
| 2243RD003.00S+AC+C+A+C3.0 | 61 CrSiV 5 rund 3,0 mm 3 m Stäbe +AC+C+A+C | X | |
| 2243RD003.50R+AC+C+A+C500 | 61 CrSiV 5 rund 3,5 mm 500 kg Ringe +AC+C+A+C | X | |
| 2243RD003.50S+AC+C+A+C3.0 | 61 CrSiV 5 rund 3,5 mm 3 m Stäbe +AC+C+A+C | X | |
| 2243RD004.00S+AC+C+A+C3.0 | 61 CrSiV 5 rund 4,0 mm 3 m Stäbe +AC+C+A+C | X | |
| 2243RD004.0S+AC+C+A+C1585 | 61 CrSiV 5 rund 4,0 mm 158,5 mm adiab. Abschn. +AC+C+A+C | X | |
| 2243RD004.50S+AC+C+A+C136 | 61 CrSiV 5 rund 4,5 mm 136 mm adiab. Abschn. +AC+C+A+C | X | |
| 2243RD004.50S+AC+C+A+C3.0 | 61 CrSiV 5 rund 4,5 mm 3 m Stäbe +AC+C+A+C | X | |
| 2243RD005.00R+AC+C+A+C500 | 61 CrSiV 5 rund 5,0 mm 500 kg Ringe +AC+C+A+C | X | |
| 2243RD005.00S+AC+C+A+C3.0 | 61 CrSiV 5 rund 5,0 mm 3 m Stäbe +AC+C+A+C | X | |
| 2243RD005.50R+AC+C+A+C500 | 61 CrSiV 5 rund 5,5 mm 500 kg Ringe +AC+C+A+C | X | |
| 2243RD005.50S+AC+C+A+C3.0 | 61 CrSiV 5 rund 5,5 mm 3 m Stäbe +AC+C+A+C | X | |
| 2243RD006.00R+AC+C+A+C500 | 61 CrSiV 5 rund 6,0 mm 500 kg Ringe +AC+C+A+C | X | |
| 2243RD006.00S+AC+C+A+C155 | 61 CrSiV 5 rund 6,0 mm 155 mm adiab. Abschn. +AC+C+A+C | X | |
| 2243RD006.00S+AC+C+A+C3.0 | 61 CrSiV 5 rund 6,0 mm 3 m Stäbe +AC+C+A+C | X | |
| 2243RD006.50S+AC+C+A+C3.0 | 61 CrSiV 5 rund 6,5 mm 3 m Stäbe +AC+C+A+C | X | |
| 2243RD007.00R+AC+C+A+C500 | 61 CrSiV 5 rund 7,0 mm 500 kg Ringe +AC+C+A+C | X | |
| 2243RD007.00S+AC+C+A+C3.0 | 61 CrSiV 5 rund 7,0 mm 3 m Stäbe +AC+C+A+C | X | |
| 2243RD007.80S+AC+C+A+C3SO | 61 CrSiV 5 rund 7,8 mm 3 m Stäbe +AC+C+A+C | X | |
| 2243RD008.00S+AC+C3.0 | 61 CrSiV 5 rund 8,0 mm 3 m Stäbe +AC+C | X | |
| 2243RD009.00S+AC+C3.0 | 61 CrSiV 5 rund 9,0 mm 3 m Stäbe +AC+C | X | |
| 2243RD010.00S+AC+C+A+C3.0 | 61 CrSiV 5 rund 10 mm 3 m Stäbe +AC+C+A+C | X | |
| 2243RD011.00S+AC+C3.0 | 61 CrSiV 5 rund 11 mm 3 m Stäbe +AC+C | X | |
| 2249RD014.00S+AC+C6.0 | 45 SiCrV 6, rd 14,00 mm 4 m-Stäbe, +AC+C | X | |
| 2249RD017.88S+AC+SH+PL4.0 | 45 SiCrV 6, rd 17,88 mm 4 m-Stäbe, +AC+SH+PL | X | |
| 2249RD025.00S+AR+A6.0 | 45 SiCrV 6, rd 25,00 mm 6 m-Stäbe, +AR+A | X | |
| 2249RD026.00S+AR+A6.0P | 45 SiCrV 6, rd 26,00 mm, 6-6,3 m Stäbe, +AR+A, DIN 10060 P | X | |
| 2249RD037.00S+AC+SH+PL3.0 | 45 SiCrV 6, rd 37,00 mm, 3 m - Stäbe, +AC+SH+PL | X | |
| 2249RD038.00S+A+SH+PL3.0 | 45 SiCrV 6, rd 38,00 mm, 3 m - Stäbe, +A+SH+PL | X | |
| 2249RD048.00S+A+SH+PL3.0 | 45 SiCrV 6, rd 48,00 mm, 3 m - Stäbe, +A+SH+PL | X | |
| 2328AK008.00S+AC+C4.0 | 45 CrMoV 7 8kt 8,0 mm 4 m Stäbe +AC+C | X | |
| 2328AK010.00S+AC+C4.0 | 45 CrMoV 7 8kt 10 mm 4 m Stäbe +AC+C | X | |
| 2328AK012.00S+AC+C4.0 | 45 CrMoV 7 8kt 12 mm 4 m Stäbe +AC+C | X | |
| 2328AK012.00S+AC+C4.0FAS | 45 CrMoV 7 8kt 12 mm 4 m Stäbe +AC+C | X | |
| 2328AK014.00S+AC+C4.0 | 45 CrMoV 7 8kt 14 mm 4 m Stäbe +AC+C | X | |
| 2328AK016.00S+AC+C4.0 | 45 CrMoV 7 8kt 16 mm 4 m Stäbe +AC+C | X | |
| 2328AK018.00S+AC+C4.0 | 45 CrMoV 7 8kt 18 mm 4 m Stäbe +AC+C | X | |



| Artikelnummer | Artikelbeschreibung | Bestand | Neueingang |
|---------------------------|--|---------|------------|
| 2381RD002.00S+AC+C+A+C3.0 | 73 MoV 5 2 rund 2,0 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381RD002.00S+AC+C+A+C3FE | 73 MoV 5 2 rund 2,0 mm 3 m Stäbe +AC+C+A+C FE/TR | X | |
| 2381RD002.50R+AC+C+A+C500 | 73 MoV 5 2, rd 2,50 mm, 500 kg-Ringe +AC+C+A+C | X | |
| 2381RD002.50S+AC+C+A+C3.0 | 73 MoV 5 2 rund 2,5 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381RD002.50S+AC+C+A+C3BD | 73 MoV 5 2 rund 2,5 mm 3 m Stäbe +AC+C+A+C / BD | X | |
| 2381RD002.50S+AC+C+A+C3FE | 73 MoV 5 2 rund 2,5 mm 3 m Stäbe +AC+C+A+C FE/TR | X | |
| 2381RD002.80S+AC+C+A+C3.0 | 73 MoV 5 2 rund 2,8 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381RD003.00R+AC+C+A+C200 | 73 MoV 5 2 rund 3,0 mm 200 kg Ringe +AC+C+A+C /FE | X | |
| 2381RD003.00R+AC+C+A+C250 | 73 MoV52, rd 3,00 mm,250-300 kg-Ringe +AC+C+A+C FE/TR | X | |
| 2381RD003.00S+AC+C+A+C113 | 73 MoV 5 2 rund 3,0 mm 113 mm adiab. Abschnitte +AC+C+A+C | X | |
| 2381RD003.00S+AC+C+A+C3.0 | 73 MoV 5 2 rund 3,0 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381RD003.00S+AC+C+A+C3BD | 73 MoV 5 2 rund 3,0 mm 3 m Stäbe +AC+C+A+C / BD | X | |
| 2381RD003.20S+AC+C+A+C3.0 | 73 MoV 5 2 rund 3,2 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381RD003.50R+AC+C+A+C500 | 73 MoV 5 2 rund 3,5 mm 500 kg Ringe +AC+C+A+C | X | |
| 2381RD003.50S+AC+C+A+C3.0 | 73 MoV 5 2 rund 3,5 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381RD003.50S+AC+C+A+C3BD | 73 MoV 5 2 rund 3,5 mm 3 m Stäbe +AC+C+A+C / BD | X | |
| 2381RD004.00R+AC+C+A+C250 | 73 MoV 5 2 rund 4,0 mm 250 kg Ringe +AC+C+A+C FE/TR | X | |
| 2381RD004.00R+AC+C+A+C350 | 73 MoV 5 2 rund 4,0 mm 350 kg Ringe +AC+C+A+C | X | |
| 2381RD004.00S+AC+C+A+C142 | 73 MoV 5 2 rund 4,0 mm 142 mm adiab. Abschnitte +AC+C+A+C | X | |
| 2381RD004.00S+AC+C+A+C3.0 | 73 MoV 5 2 rund 4,0 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381RD004.00S+AC+C+A+C3BD | 73 MoV 5 2 rund 4,0 mm 3 m Stäbe +AC+C+A+C / BD | X | |
| 2381RD004.50R+AC+C+A+C900 | 73 MoV 5 2 rund 4,5 mm 900 kg Ringe +AC+C+A+C | X | |
| 2381RD004.50S+AC+C+A+C3.0 | 73 MoV 5 2 rund 4,5 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381RD004.50S+AC+C+A+C3FE | 73 MoV 5 2 rund 4,5 mm 3 m Stäbe +AC+C+A+C FE/TR | X | |
| 2381RD005.00R+AC+C+A+C250 | 73 MoV 5 2 rund 5,0 mm 250 kg Ringe +AC+C+A+C FE/TR | X | |
| 2381RD005.00S+AC+C+A+C181 | 73 MoV 5 2 rund 5,0 mm 181 mm Abschnitte +AC+C+A+C | | X |
| 2381RD005.00S+AC+C+A+C3.0 | 73 MoV 5 2 rund 5,0 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381RD005.0S+AC+C+A+C3GEF | 73 MoV 5 2 rund 5,0 mm 3 m Stäbe +AC+C+A+C gefast | X | |
| 2381RD005.50S+AC+C+A+C3.0 | 73 MoV 5 2 rund 5,5 mm 3 m Stäbe +AC+C+A+C | | X |
| 2381RD005.50S+AC+C+A+C3FE | 73 MoV 5 2 rund 5,5 mm 3 m Stäbe +AC+C+A+C FE/TR | X | |
| 2381RD005.5S+AC+C+A+C3GEF | 73 MoV 5 2 rund 5,5 mm 3 m Stäbe +AC+C+A+C gefast | X | |
| 2381RD006.00R+AC+C+A+C250 | 73 MoV 5 2 rund 6,0 mm 250 kg Ringe +AC+C+A+C /FE/TR | X | |
| 2381RD006.00R+AC+C+A+C900 | 73 MoV 5 2 rund 6,0 mm 900 kg Ringe +AC+C+A+C | X | |
| 2381RD006.00S+AC+C+A+C3.0 | 73 MoV 5 2, rd 6,00 mm, 3 m-Stäbe +AC+C+A+C | X | |
| 2381RD006.0S+AC+C+A+C3GEF | 73 MoV 5 2 rund 6,0 mm 3 m Stäbe +AC+C+A+C gefast | | X |
| 2381RD006.50S+AC+C+A+C3.0 | 73 MoV 5 2 rund 6,5 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381RD006.5S+AC+C+A+C3GEF | 73 MoV 5 2 rund 6,5 mm 3 m Stäbe +AC+C+A+C gefast | X | |
| 2381RD007.00S+AC+C+A+C3.0 | 73 MoV 5 2 rund 7,0 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381RD007.0S+AC+C+A+C3GEF | 73 MoV 5 2 rund 7,0 mm 3 m Stäbe +AC+C+A+C gefast | X | |
| 2381RD008.00S+AC+C+A+C3.0 | 73 MoV 5 2 rund 8,0 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381RD008.0S+AC+C+A+C3GEF | 73 MoV 5 2 rund 8,0 mm 3 m Stäbe +AC+C+A+C gefast | X | |
| 2381RD009.00S+AC+C+A+C3FE | 73 MoV 5 2 rund 9,0 mm 3 m Stäbe +AC+C+A+C FE/TR | X | |
| 2381RD009.00S+AC+C3.0 | 73 MoV 5 2 rund 9,0 mm 3 m Stäbe +AC+C | X | |
| 2381RD010.00S+AC+C3.0 | 73 MoV 5 2 rund 10 mm 3 m Stäbe +AC+C | X | |
| 2381RD011.00S+AC+C3.0 | 73 MoV 5 2 rund 11 mm 3 m Stäbe +AC+C | X | |
| 2381RD012.00S+AC+C3.0 | 73 MoV 5 2 rund 12 mm 3 m Stäbe +AC+C | X | |
| 2381RD014.00S+AC+C3.0 | 73 MoV 5 2 rund 14 mm 3 m Stäbe +AC+C | X | |
| 2381RD016.00S+AC+C3.0 | 73 MoV 5 2 rund 16 mm 3 m Stäbe +AC+C | X | |
| 2381RD019.00S+AC+C3.0 | 73 MoV 5 2 rund 19 mm 3 m Stäbe +AC+C | X | |
| 2381RD020.00S+AC+C3.0 | 73 MoV 5 2 rund 20 mm 3 m Stäbe +AC+C | X | |
| 2381RD025.00S+AC+C3.0 | 73 MoV 5 2 rund 25 mm 3 m Stäbe +AC+C | X | |
| 2381RD030.00S+AC+C3.0 | 73 MoV 5 2 rund 30 mm 3 m Stäbe +AC+C | X | |
| 2381SW001.27R+AC+C+A+C20 | 73 MoV 5 2 6kt 1,27 mm 20 kg Ringe +AC+C+A+C | X | |
| 2381SW001.50R+AC+C+A+C20 | 73 MoV 5 2 6kt 1,5 mm 20 kg Ringe +AC+C+A+C | X | |
| 2381SW001.59R+AC+C+A+C20 | 73 MoV 5 2 6kt 1,59 mm 100 kg Ringe +AC+C+A+C (1/16") | X | |
| 2381SW001.59S+AC+C+A+C1.5 | 73 MoV 5 2 6kt 1,59 mm 1,5 m Stäbe +AC+C+A+C (1/16") | X | |
| 2381SW002.00R+AC+C+A+C20 | 73 MoV 5 2 6kt 2,0 mm 20 kg Ringe +AC+C+A+C | X | |
| 2381SW002.38R+AC+C+A+C20 | 73 MoV 5 2 6kt 2,38 mm 20 kg Ringe +AC+C+A+C | X | |
| 2381SW002.38S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 2,38 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381SW002.50R+AC+C+A+C20 | 73 MoV 5 2 6kt 2,50 mm 20 kg Ringe +AC+C+A+C | X | |
| 2381SW002.50S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 2,50 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381SW003.00S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 3,0 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381SW003.18S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 3,18 mm 3 m Stäbe +AC+C+A+C (1/8") | X | |
| 2381SW003.97S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 3,97 mm 3 m Stäbe +AC+C+A+C (5/32") | X | |
| 2381SW004.00S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 4,0 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381SW004.00S+AC+C+A+C3FA | 73 MoV 5 2 6kt 4,0 mm 3 m Stäbe +AC+C+A+C einseitig gefast | X | |
| 2381SW004.76S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 4,76 mm 3 m Stäbe +AC+C+A+C (3/16") | X | |
| 2381SW005.00R+AC+C+A+C250 | 73 MoV 5 2 6kt 5,0 mm 250 kg Ringe +AC+C+A+C FE/TR | X | |
| 2381SW005.00S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 5,0 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381SW005.56S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 5,56 mm 3 m Stäbe +AC+C+A+C (7/32") | X | |



| Artikelnummer | Artikelbeschreibung | Bestand | Neueingang |
|---------------------------|---|---------|------------|
| 2381SW005.96S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 5,96 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381SW006.00R+AC+C+A+C250 | 73 MoV 5 2 6kt 6,0 mm 250 kg Ringe +AC+C+A+C FE/TR | X | |
| 2381SW006.00S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 6,0 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381SW006.00S+AC+C+A+C3FA | 73 MoV 5 2 6kt 6,0 mm 3 m Stäbe +AC+C+A+C eins. gef. | X | |
| 2381SW006.31GKGK3.0ST | 73 MoV 5 2 6kt 6,31 mm 3 m Stäbe +AC+C+A+C / FE | | X |
| 2381SW006.33R+AC+C+A+C250 | 73 MoV 5 2 6kt 6,33 mm 250 kg Ringe +AC+C+A+C / FE | X | |
| 2381SW006.33R+AC+C+A+C500 | 73 MoV 5 2 6kt 6,33 mm 500 kg Ringe +AC+C+A+C | X | |
| 2381SW006.33S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 6,33 mm 3 m Stäbe +AC+C+A+C (1/4") | X | |
| 2381SW007.93S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 7,93 mm 3 m Stäbe +AC+C+A+C (5/16") | X | |
| 2381SW008.00S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 8,0 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381SW009.53S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 9,53 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381SW010.00S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 10 mm 3 m Stäbe +AC+C+A+C | | X |
| 2381SW011.00S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 11 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381SW011.11S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 11,11 mm 3 m Stäbe +AC+C+A+C (7/16") | X | |
| 2381SW012.00S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 12 mm 3 m Stäbe +AC+C+A+C | X | |
| 2381SW014.00S+AC+C+A+C3.0 | 73 MoV 5 2 6kt 14 mm 3 m Stäbe +AC+C+A+C | X | |
| 3343RD006.00S+A+C3.0 | HS 6-5-3C rund 6,0 mm 3 m Stäbe +A+C | X | |
| 3343RD006.10S+A+C+SL4.0 | HS 6-5-3C rund 6,1 mm 4 m Stäbe +A+C+SL | X | |
| 3343RD006.10S+A+C3.0 | HS 6-5-3C rund 6,1 mm 3 m Stäbe +A+C | X | |
| 3343RD006.10S+A+C4.0 | HS 6-5-3C rund 6,1 mm 4 m Stäbe +A+C | X | |
| 3343RD008.20S+A+C+SL3.0 | HS 6-5-3C rund 8,2 mm 3 m Stäbe +A+C+SL | | X |
| 3343RD010.20S+A+C3.0 | HS 6-5-3C rund 10,2 mm 3 m Stäbe +A+C | X | |
| 3343RD011.65S+A+C+SL3.0 | HS 6-5-3C rund 11,65 mm 3 m Stäbe +A+C+SL | X | |
| 3343RD012.00S+A+C3.0 | HS 6-5-3C rund 12 mm 3 m Stäbe +A+C | X | |
| 3343RD016.20S+A+C3.0 | HS 6-5-3C rund 16,2 mm 3 m Stäbe +A+C | X | |
| 3343RD020.20S+A+SH3.0 | HS 6-5-3C rund 20,2 mm 3 m Stäbe +A+SH | X | |
| 3343RD022.20S+A+SH3.0 | HS 6-5-3C rund 22,2 mm 3 m Stäbe +A+SH | X | |
| 3343RD023.00S+A+SH3.0 | HS 6-5-3C rund 23 mm 3 m Stäbe +A+SH | X | |
| 3343RD030.20S+A+SH3.0 | HS 6-5-3C rund 30,2 mm 3 m Stäbe +A+SH | X | |
| 3343RD030.50S+A+SH3.0 | HS 6-5-3C rund 30,5 mm 3 m Stäbe +A+SH | X | |
| 3343RD038.00S+A+SH3.0 | HS 6-5-3C rund 38 mm 3 m Stäbe +A+SH | X | |
| 3505RD021.00S+SH+AC+PL3.0 | 100 Cr 6 rund 21,0 mm 3 m Stäbe +SH+AC+PL | X | |
| 3505RD022.00S+AC+AR3.0 | 100 Cr 6 , rd 22,00 mm, 3 m-Stäbe, +AC+AR | X | |
| 3505RD022.00S+AR+A3.0 | 100 Cr 6 , rd 22,00 mm, 3 m-Stäbe, +AR+A | X | |
| 4034RD004.50S+A+C+SL+PL3 | X 46 Cr 13 rund 4,50 mm 3 m Stäbe +A+C+SL+PL | X | |
| 4034RD004.50S+A+C3.0 | X 46 Cr 13 rund 4,50 mm 3 m Stäbe +A+C | X | |
| 4034RD005.00S+A+C3.0 | X 46 Cr 13 rund 5,00 mm 3 m Stäbe +A+C | X | |
| 4034RD006.50S+A+C+SL+PL3 | X 46 Cr 13 rund 6,50 mm 3 m Stäbe +A+C+SL+PL | X | |
| 4034RD007.00S+A+C+SL+PL3 | X 46 Cr 13 rund 7,00 mm 3 m Stäbe +A+C+SL+PL | X | |
| 4034SW006.33S+AC+C+A+C3.0 | X 46 Cr 13 6kt 6,33 mm 3 m Stäbe +AC+C+A+C | X | |
| 6582RD009.95S+AC+C3.0 | 34 CrNiMo 6 rund 9,95 mm 3 m Stäbe +AC+C | X | |
| 6582RD009.96S+AC+C3.9 | 34 CrNiMo 6 rund 9,96 mm 3,9 m Stäbe +AC+C, beids. gefast | X | |
| 6582RD010.00S+AC+C3.0 | 34 CrNiMo 6 rund 10,0 mm 3 m Stäbe +AC+C | | X |
| 6582RD011.00S+AC+C3.0 | 34 CrNiMo 6 rund 11,0 mm 3 m Stäbe +AC+C | X | |
| 6582RD012.00S+AC+C3.0GEF | 34 CrNiMo 6 rund 12,0 mm 3 m Stäbe +AC+C beids. gefast | X | |
| 6582RD012.00S+AC+C3.9 | 34 CrNiMo 6 rund 12,0 mm 3,9 m Stäbe +AC+C beids. gefast | X | |
| 6582RD013.00S+AC+C3.0GEF | 34 CrNiMo 6 rund 13,0 mm 3 m Stäbe +AC+C beids. gefast | | X |
| 6582RD014.00S+AC+C3.0 | 34 CrNiMo 6 rund 14,0 mm 3 m Stäbe +AC+C | X | |
| 6582RD015.00S+AC+C3.0 | 34 CrNiMo 6 rund 15,0 mm 3 m Stäbe +AC+C | X | |
| 6582RD016.00S+AC+C3.0GEF | 34 CrNiMo 6 rund 16,0 mm 3 m Stäbe +AC+C beids. gefast | X | |
| 6582RD017.00S+AC+C3.0 | 34 CrNiMo 6 rund 17,0 mm 3 m Stäbe +AC+C | X | |
| 6582RD017.90S+AC+C3.9 | 34 CrNiMo 6 rund 17,9 mm 3,9 m Stäbe +AC+C beids. gefast | X | |
| 6582RD018.00S+AC+C3.0GEF | 34 CrNiMo 6 rund 18,0 mm 3 m Stäbe +AC+C gefast | X | |
| 6582RD020.00S+AC+C3.0 | 34 CrNiMo 6 rund 20,0 mm 3 m Stäbe +AC+C | X | |
| 6582RD020.00S+AC+C3.0GEF | 34 CrNiMo 6 rund 20,0 mm 3 m Stäbe +AC+C beids. gefast | X | |
| 6582RD022.00S+AC+C3.0 | 34 CrNiMo 6 rund 22,0 mm 3 m Stäbe +AC+C | X | |
| 6582RD023.00S+AC+C3.0 | 34 CrNiMo 6 rund 23,0 mm 3 m Stäbe +AC+C | X | |
| 6582RD023.00S+AC+SH6.0 | 34 CrNiMo 6 rund 23,0 mm 6 m Stäbe +AC+SH | X | |
| 6582RD024.00S+AC+C3.0 | 34 CrNiMo 6 rund 24,0 mm 3 m Stäbe +AC+C | X | |
| 6582RD026.00S+AC+C3.0 | 34 CrNiMo 6 rund 26,0 mm 3 m Stäbe +AC+C | X | |
| 6582RD026.00S+AC+C3.9 | 34 CrNiMo 6 rund 26,0 mm 3,9 m Stäbe +AC+C beids. gefast | | X |
| 6582RD028.00S+AC+C3.0 | 34 CrNiMo 6 rund 28,0 mm 3 m Stäbe +AC+C | X | |
| 6582RD028.00S+AC+C3.9 | 34 CrNiMo 6 rund 28,0 mm 3,9 m Stäbe +AC+C beids. gefast | X | |
| 6582RD028.00S+AC+SH6.0 | 34 CrNiMo 6 rund 28,0 mm 6 m Stäbe +AC+SH | X | |
| 6582RD029.00S+AC+SH3.0 | 34 CrNiMo 6 rund 29,0 mm 3 m Stäbe +AC+SH beids. gefast | X | |
| 6582RD030.00S+AC+C3.0 | 34 CrNiMo 6 rund 30,0 mm 3 m Stäbe +AC+C | | X |
| 6582RD038.00S+AC+C3.9 | 34 CrNiMo 6, rd 38,00 mm 3,9 m-Stäbe, +AC+C beids. gefast | X | |
| 6582RD040.00S+AC+C3.0 | 34 CrNiMo 6 rund 40,0 mm 3 m Stäbe +AC+C | X | |
| 6582RD041.00S+AC+SH4.0 | 34 CrNiMo 6 rund 41,0 mm 4 m Stäbe +AC+SH beids. gefast | X | |
| 6582RD042.00S+AC+SH3.0 | 34 CrNiMo 6 rund 42,0 mm 3 m Stäbe +AC+SH beids. gefast | X | |



| Artikelnummer | Artikelbeschreibung | Bestand | Neueingang |
|---------------------------|---|---------|------------|
| 7035RD022.00S+AC+C4.35 | 41 Cr 4 rund 22,00 mm 4,35 m Stäbe, +A+C | | X |
| 7131RD012.20S+A+C+SL3.0 | 16 MnCr 5 rund 12,2 mm 3 m Stäbe +A+C+SL+PL | X | |
| 7131RD022.20S+A+C3.0 | 16 MnCr 5 rund 22,2 mm 3 m Stäbe, +A+C | X | |
| 7131RD040.00S+A+C3.0 | 16 MnCr 5 rund 40,0 mm 3 m Stäbe, +A+C | X | |
| 7139RD014.00S+A+C3.0 | 16 MnCrS 5 rund 14,0 mm 3 m Stäbe +A+C | X | |
| 7139RD050.00S+FP+SH+PL2.0 | 16 MnCrS 5 rund 50,0 mm 2 m Stäbe +FP+SH+PL 2-fach gefast | X | |
| 7139RD052.00S+FP+SH+PL2.0 | 16 MnCrS 5 rund 52,0 mm 2 m Stäbe +FP+SH+PL 2-fach gefast | X | |
| 7139RD058.00S+FP+SH+PL2.0 | 16 MnCrS 5 rund 58,0 mm 2 m Stäbe +FP+SH+PL 2-fach gefast | X | |
| 7139RD058.00S+FP+SH+PL6.0 | 16 MnCrS 5 rund 58,0 mm 6 m Stäbe +FP+SH+PL | | X |
| 7139RD058.00S+FP+SH+PL782 | 16 MnCrS 5 rund 58,0 mm 78,2 mm Abschnitte +FP+SH+PL | X | |
| 7225RD017.98SA+C+SH+SL3.6 | 42 CrMo 4 rund 17,98 mm 3,6 m Stäbe +A+C+SH+SL+PL | X | |
| 7225RD028.00S+AR+A6.0 | 42 CrMo 4 rund 28,0 mm 6 m Stäbe +AR+A | X | |
| 7225RD030.00S+QT+SH3.0 | 42 CrMo 4 rund 30,0 mm 3 m Stäbe +QT+SH | X | |
| 7225RD036.00S+AR+A6.0 | 42 CrMo 4 rund 36,0 mm 6 m Stäbe +AR+A | X | |
| 7225RD040.00S+A+C3.0 | 42 CrMo 4 rund 40,0 mm 3 m Stäbe +A+C | X | |
| 7227RD010.00S+A+C3.0 | 42 CrMoS 4 rund 10,0 mm 3 m Stäbe +A+C | X | |
| 7227RD012.00S+A+C3.0 | 42 CrMoS 4 rund 12,0 mm 3 m Stäbe +A+C | X | |
| 7227RD013.00S+A+C3.0 | 42 CrMoS 4 rund 13,0 mm 3 m Stäbe +A+C | X | |
| 7227RD015.00S+A+C3.0GEF | 42 CrMoS 4 rund 15,0 mm 3 m Stäbe +A+C 2 fach gefast | X | |
| 7227RD016.00S+A+C3.0 | 42 CrMoS 4 rund 16,0 mm 3 m Stäbe +A+C | X | |
| 7227RD016.50S+A+C3.0 | 42 CrMoS 4 rund 16,5 mm 3 m Stäbe +A+C | X | |
| 7227RD020.00S+A+C3.0GEF | 42 CrMoS 4 rund 20,0 mm 3 m Stäbe +A+C | X | |
| 7227RD023.00S+A+C3.0 | 42 CrMoS 4 rund 23,0 mm 3 m Stäbe +A+C | X | |
| 7227RD024.00S+A+C3.0GEF | 42 CrMoS 4 rund 24,0 mm 3 m Stäbe +A+C 2 fach gefast | X | |
| 7227RD025.00S+A+C3.0 | 42 CrMoS 4 rund 25,0 mm 3 m Stäbe +A+C | X | |
| 7227RD026.00S+A+C3.0GEF | 42 CrMoS 4 rund 26,0 mm 3 m Stäbe +A+C 2 fach gefast | X | |
| 7227RD028.00S+A+C3.0 | 42 CrMoS 4 rund 28,0 mm 3 m Stäbe +A+C | X | |
| 7227RD030.00S+A+C3.0 | 42 CrMoS 4 rund 30,0 mm 3 m Stäbe +A+C | X | |
| 7227RD032.00S+A+C3.0GEF | 42 CrMoS 4 rund 32,0 mm 3 m Stäbe +A+C 2 fach gefast | X | |
| 7227RD040.00S+A+C3.0GEF | 42 CrMoS 4 rund 40,0 mm 3 m Stäbe +A+C 2 fach gefast | X | |
| 7227RD042.00S+A+C3.0GEF | 42 CrMoS 4 rund 42,0 mm 3 m Stäbe +A+C 2 fach gefast | X | |
| 7792RD003.00+AC+C+A+C500 | 58 CrV 4 + Mo rund 3,00 mm 500 kg Ringe +AC+C+A+C | X | |
| 7792RD004.00+AC+C+A+C500 | 58 CrV 4 + Mo rund 4,00 mm 500 kg Ringe +AC+C+A+C | X | |
| 7792RD005.00+AC+C+A+C500 | 58 CrV 4 + Mo rund 5,00 mm 500 kg Ringe +AC+C+A+C | X | |
| 7792RD006.00+AC+C+A+C500 | 58 CrV 4 + Mo rund 6,00 mm 500 kg Ringe +AC+C+A+C | X | |
| 7792RD007.00+AC+C+A+C500 | 58 CrV 4 + Mo rund 7,00 mm 500 kg Ringe +AC+C+A+C | X | |
| 7792RD008.00+AC+C+A+C200 | 58 CrV 4 + Mo rund 8,00 mm 200 kg Ringe +AC+C+A+C | X | |
| 7792RD008.00+AC+C+A+C500 | 58 CrV 4 + Mo rund 8,00 mm 500 kg Ringe +AC+C+A+C | X | |
| 8159RD001.79R+AC+C+A+C30 | 51 CrV 4 rund 1,79 mm 30 kg Ringe +AC+C+A+C | X | |
| 8161AK010.00S+AC+C3.0 | 58 CrV 4 8kt 10,0 mm 3 m Stäbe +AC+C | X | |
| 8161AK010.00S+AC+C3.6 | 58 CrV 4 8kt 10,0 mm 3,6 m Stäbe +AC+C | X | |
| 8161AK010.00S+AC+C4.0 | 58 CrV 4 8kt 10,0 mm 4 m Stäbe +AC+C | X | |
| 8161AK012.00SGK3.6_01 | 58 CrV 4, 8-kt 12,0 mm, 3,6 m-Stäbe, +AC+C | X | |
| 8161AK014.00S+AC+C4.0 | 58 CrV 4 8kt 14,0 mm 4 m Stäbe +AC+C | X | |
| 8161AK016.00S+AC+C4.0 | 58 CrV 4 8kt 16,0 mm 4 m Stäbe +AC+C | X | |
| 8161AK018.00S+AC+C4.0 | 58 CrV 4 8kt 18,0 mm 4 m Stäbe +AC+C | X | |
| 8161AK020.00S+AC+C4.0 | 58 CrV 4 8kt 20,0 mm 4 m Stäbe +AC+C | X | |
| 8161AK022.00S+AC+C4.0 | 58 CrV 4 8kt 22,0 mm 4 m Stäbe +AC+C | X | |
| 8161FL014X009S+A+CR4.0 | 58 CrV 4 flov 14 x 9 mm 4 m Stäbe +A+CR+A+CR | X | |
| 8161FL017X011S+A+CR4.0 | 58 CrV 4 flov 17 x 11 mm 4 m Stäbe +A+CR+A+CR | X | |
| 8161FL020X012S+A+CR4.0 | 58 CrV 4 flov 20 x 12 mm 4 m Stäbe +A+CR+A+CR | X | |
| 8161FL023X013S+A+CR4.0 | 58 CrV 4 flov 23 x 13 mm 4 m Stäbe +A+CR+A+CR | X | |
| 8161FL026X007S+A+CR4.0 | 58 CrV 4 flov 26 x 7 mm 4 m Stäbe +A+CR+A+CR | X | |
| 8161FL026X007S+A+CR6.0G | 58 CrV 4 flov 26 x 7 mm 6 m Stäbe +A+CR+A+CR spezial | X | |
| 8161FL026X013S+A+CR4.0 | 58 CrV 4 flov 26 x 13 mm 4 m Stäbe +A+CR+A+CR | X | |
| 8161FL026X013S+AC+C4.0 | 58 CrV 4 flov 26 x 13 mm 4 m Stäbe +AC+C | X | |
| 8161FL028X007S+A+CR4.0 | 58 CrV 4 flov 28 x 7 mm 4 m Stäbe +A+CR+A+CR | X | |
| 8161RD002.50R+AC+C+A+C300 | 58 CrV 4 rund 2,50 mm 250-300 kg Ringe +AC+C+A+C (F) | X | |
| 8161RD002.50RGKKGK200_01 | 58 CrV 4, rd 2,50 mm, 200 kg- Ringe +AC+C+A+C | X | |
| 8161RD003.00R+AC+C+A+C300 | 58 CrV 4 rund 3,00 mm 250-300 kg Ringe +AC+C+A+C (F) | X | |
| 8161RD003.00S+AC+C+A+C3.0 | 58 CrV 4 rund 3,00 mm 3 m Stäbe +AC+C+A+C | X | |
| 8161RD003.50R+AC+C+A+C300 | 58 CrV 4 rund 3,50 mm 250-300 kg Ringe +AC+C+A+C (F) | X | |
| 8161RD003.60S+AC+C+A+C3.0 | 58 CrV 4 rund 3,60 mm 3 m Stäbe +AC+C+A+C | X | |
| 8161RD004.00R+AC+C+A+C300 | 58 CrV 4 rund 4,00 mm 250-300 kg Ringe +AC+C+A+C (F) | X | |
| 8161RD004.00S+AC+C+A+C3.0 | 58 CrV 4 rund 4,00 mm 3 m Stäbe +AC+C+A+C | X | |
| 8161RD004.50R+AC+C+A+C200 | 58 CrV 4 rund 4,50 mm 200 kg Ringe +AC+C+A+C (F) | X | |
| 8161RD004.50R+AC+C+A+C300 | 58 CrV 4 rund 4,50 mm 250-300 kg Ringe +AC+C+A+C (F) | X | |
| 8161RD004.90S+AC+C3.0 | 58 CrV 4 rund 4,90 mm 3 m Stäbe +AC+C | X | |
| 8161RD005.00R+AC+C+A+C800 | 58 CrV 4 rund 5,00 mm 500-800 kg Ringe +AC+C+A+C (F) | X | |
| 8161RD005.00S+AC+C3.0 | 58 CrV 4 rund 5,00 mm 3 m Stäbe +AC+C | X | |



| Artikelnummer | Artikelbeschreibung | Bestand | Neueingang |
|---------------------------|---|---------|------------|
| 8161RD005.50R+AC+C+A+C800 | 58 CrV 4 rund 5,50 mm 500-800 kg Ringe +AC+C+A+C (F) | X | |
| 8161RD005.50S+AC+C3.0 | 58 CrV 4 rund 5,50 mm 3 m Stäbe +AC+C | X | |
| 8161RD006.00R+AC+C+A+C800 | 58 CrV 4 rund 6,00 mm 500-800 kg Ringe +AC+C+A+C (F) | X | |
| 8161RD006.00S+AC+C+A+C3WU | 58 CrV 4 rund 6,00 mm 3 m Stäbe +AC+C+A+C < 600 MPa | X | |
| 8161RD006.00S+AC+C3.0 | 58 CrV 4 rund 6,00 mm 3 m Stäbe +AC+C | X | |
| 8161RD006.50S+A+C3.0 | 58 CrV 4 rund 6,50 mm 3 m Stäbe +AC+C | X | |
| 8161RD006.50S+AC+C+A+C3.0 | 58 CrV 4 rund 6,50 mm 3 m Stäbe +AC+C+A+C (FE) | X | |
| 8161RD007.00R+AC+C+A+C800 | 58 CrV 4 rund 7,00 mm 500-800 kg Ringe +AC+C+A+C (F) | X | |
| 8161RD007.00S+AC+C+A+C3WU | 58 CrV 4 rund 7,00 mm 3 m Stäbe +AC+C+A+C < 600 MPa | | X |
| 8161RD007.00S+AC+C3.0 | 58 CrV 4 rund 7,00 mm 3 m Stäbe +AC+C | X | |
| 8161RD007.20S+AC+C3.0 | 58 CrV 4 rund 7,20 mm 3 m Stäbe +AC+C | X | |
| 8161RD008.00R+AC+C+A+C800 | 58 CrV 4 rund 8,00 mm 500-800 kg Ringe +AC+C+A+C (F) | X | |
| 8161RD008.00S+AC+C+A+C3WU | 58 CrV 4 rund 8,00 mm 3 m Stäbe +AC+C+A+C < 600 MPa | X | |
| 8161RD008.00S+AC+C2.9 | 58 CrV 4 rund 8,00 mm 2,9 m Stäbe +AC+C | X | |
| 8161RD008.00S+AC+C3.0 | 58 CrV 4 rund 8,00 mm 3 m Stäbe +AC+C | X | |
| 8161RD008.50S+AC+C3.0 | 58 CrV 4 rund 8,50 mm 3 m Stäbe +AC+C | X | |
| 8161RD008.80S+AC+C3.0 | 58 CrV 4 rund 8,80 mm 3 m Stäbe +AC+C | X | |
| 8161RD009.00S+AC+C3.0 | 58 CrV 4 rund 9,00 mm 3 m Stäbe +AC+C | X | |
| 8161RD009.50S+AC+C2.9 | 58 CrV 4 rund 9,50 mm 2,9 m Stäbe +AC+C | X | |
| 8161RD010.00S+AC+C+A+C3WU | 58 CrV 4 rund 10,0 mm 3 m Stäbe +AC+C+A+C < 600 MPa | X | |
| 8161RD010.00S+AC+C3.0 | 58 CrV 4 rund 10,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD011.00S+AC+C3.0 | 58 CrV 4 rund 11,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD012.00S+AC+C3.0 | 58 CrV 4 rund 12,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD012.50S+AC+C3.0 | 58 CrV 4 rund 12,5 mm 3 m Stäbe +AC+C | X | |
| 8161RD013.00S+AC+C3.0 | 58 CrV 4 rund 13,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD014.00S+AC+C3.0 | 58 CrV 4 rund 14,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD015.00S+AC+C3.0 | 58 CrV 4 rund 15,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD016.00S+AC+C3.0 | 58 CrV 4 rund 16,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD017.00S+AC+C3.0 | 58 CrV 4 rund 17,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD018.00S+AC+C3.0 | 58 CrV 4 rund 18,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD019.00S+AC+C3.0 | 58 CrV 4 rund 19,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD020.00S+AC+C3.0 | 58 CrV 4 rund 20,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD022.00S+AC+C3.0 | 58 CrV 4 rund 22,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD024.00S+AC+C3.0 | 58 CrV 4 rund 24,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD025.00S+AC+C3.0 | 58 CrV 4 rund 25,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD026.00S+AC+C3.0 | 58 CrV 4 rund 26,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD027.00S+AC+C3.0 | 58 CrV 4 rund 27,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD028.00S+AC+C3.0 | 58 CrV 4 rund 28,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD030.00S+AC+C3.0 | 58 CrV 4 rund 30,0 mm 3 m Stäbe +AC+C gefast | X | |
| 8161RD030.00S+AC+C4.0 | 58 CrV 4 rund 30,0 mm 4 m Stäbe +AC+C | X | |
| 8161RD032.00S+AC+C3.0 | 58 CrV 4 rund 32,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD035.00S+AC+C3.0 | 58 CrV 4 rund 35,0 mm 3 m Stäbe +AC+C | | X |
| 8161RD036.00S+AC+C3.0 | 58 CrV 4 rund 36,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD038.00S+AC+C3.0 | 58 CrV 4 rund 38,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD040.00S+AC+C3.0 | 58 CrV 4 rund 40,0 mm 3 m Stäbe +AC+C | X | |
| 8161RD044.00S+AC+SH+PL3.0 | 58 CrV 4 rund 44,0 mm 3 m Stäbe +AC+SH | X | |
| 8161SW001.19R+AC+C+A+C300 | 58 CrV 4 6kt 1,19 mm 300 kg Ringe +AC+C+A+C | X | |
| 8161SW001.50R+AC+C+A+C100 | 58 CrV 4 6kt 1,50 mm 100 kg Ringe +AC+C+A+C | X | |
| 8161SW002.38S+AC+C+A+C3.0 | 58 CrV 4 6kt 2,38 mm 3 m-Stäbe +AC+C+A+C | X | |
| 8161SW002.50R+AC+C+A+C100 | 58 CrV 4 6kt 2,50 mm 100 kg Ringe +AC+C+A+C | X | |
| 8161SW002.78S+AC+C+A+C3.0 | 58 CrV 4 6kt 2,78 mm 3 m-Stäbe +AC+C+A+C | X | |
| 8161SW003.00S+AC+C+A+C3.0 | 58 CrV 4 6kt 3,00 mm 3 m Stäbe +AC+C+A+C | X | |
| 8161SW003.0S+AC+C+A+C47,3 | 58 CrV 4 6kt 3,00 mm 47,3 mm-Stiftschlüssel AC+C+A+C | X | |
| 8161SW003.96S+AC+C+A+C3.0 | 58 CrV 4 6kt 3,96 mm 3 m Stäbe +AC+C+A+C | X | |
| 8161SW003.97R+AC+C+A+C100 | 58 CrV 4 6kt 3,97 mm 100 kg Ringe +AC+C+A+C | X | |
| 8161SW004.00R+AC+C+A+C100 | 58 CrV 4 6kt 4,00 mm 100 kg Ringe +AC+C+A+C | X | |
| 8161SW004.00R+AC+C+A+C800 | 58 CrV 4 6kt 4,00 mm 500 - 800 kg Ringe +AC+C+A+C (F) | X | |
| 8161SW004.00S+AC+C+A+C3.0 | 58 CrV 4 6kt 4,00 mm 3 m Stäbe +AC+C+A+C | X | |
| 8161SW005.00R+AC+C+A+C100 | 58 CrV 4 6kt 5,00 mm 100 kg Ringe +AC+C+A+C | X | |
| 8161SW005.00S+AC+C3.0 | 58 CrV 4 6kt 5,00 mm 3 m Stäbe +AC+C | X | |
| 8161SW005.50R+AC+C+A+C200 | 58 CrV 4 6kt 5,50 mm 200 kg Ringe +AC+C+A+C | X | |
| 8161SW005.56S+AC+C+A+C3.0 | 58 CrV 4 6kt 5,56 mm 3 m Stäbe +AC+C+A+C (7/32") | X | |
| 8161SW006.00R+AC+C+A+C100 | 58 CrV 4 6kt 6,00 mm 100 kg Ringe +AC+C+A+C | X | |
| 8161SW006.00S+AC+C3.0 | 58 CrV 4 6kt 6,00 mm 3 m Stäbe +AC+C | X | |
| 8161SW006.33R+AC+C+A+C800 | 58 CrV 4 6kt 6,33 mm 500 - 800 kg Ringe +AC+C+A+C (F) | X | |
| 8161SW006.33S+AC+C+A+C3.0 | 58 CrV 4 6kt 6,33 mm 3 m Stäbe +AC+C+A+C | X | |
| 8161SW007.00S+AC+C3.0 | 58 CrV 4 6kt 7,00 mm 3 m Stäbe +AC+C | X | |
| 8161SW007.93S+AC+C3.0 | 58 CrV 4 6kt 7,93 mm 3 m Stäbe +AC+C (5/16") | X | |
| 8161SW008.00R+AC+C+A+C100 | 58 CrV 4 6kt 8,00 mm 100 kg Ringe +AC+C+A+C | X | |
| 8161SW008.00R+AC+C+A+C800 | 58 CrV 4 6kt 8,00 mm 500 - 800 kg Ringe +AC+C+A+C (F) | | X |

Lagerbestandsliste


WILHELM JUNGERMANN GMBH

STAHLVERTRIEB & PARTNER FÜR DIE WERKZEUGINDUSTRIE

| Artikelnummer | Artikelbeschreibung | Bestand | Neueingang |
|---------------------------|--|---------|------------|
| 8161SW008.00S+AC+C3.0 | 58 CrV 4 6kt 8,00 mm 3 m Stäbe +AC+C | X | |
| 8161SW009.00S+AC+C3.0 | 58 CrV 4 6kt 9,00 mm 3 m Stäbe +AC+C | X | |
| 8161SW009.52S+AC+C3.0 | 58 CrV 4 6kt 9,52 mm 3 m Stäbe +AC+C | X | |
| 8161SW010.00S+AC+C+A+C3.0 | 58 CrV 4 6kt 10,0 mm 3 m Stäbe +AC+C+A+C (F) | | X |
| 8161SW010.00S+AC+C3.0 | 58 CrV 4 6kt 10,0 mm 3 m-Stäbe +AC+C | X | |
| 8161SW010.00S+AC+C5.2 | 58 CrV 4 6kt 10,0 mm 5,2 m-Stäbe +AC+C | X | |
| 8161SW011.00S+AC+C3.0 | 58 CrV 4 6kt 11,0 mm 3 m Stäbe +AC+C | X | |
| 8161SW012.00S+AC+C3.0 | 58 CrV 4 6kt 12,0 mm 3 m Stäbe +AC+C | X | |
| 8161SW012.70S+AC+C3.0 | 58 CrV 4 6kt 12,7 mm 3 m Stäbe +AC+C | X | |
| 8161SW013.00S+AC+C3.0 | 58 CrV 4 6kt 13,0 mm 3 m Stäbe +AC+C | X | |
| 8161SW014.00S+AC+C3.0 | 58 CrV 4 6kt 14,0 mm 3 m Stäbe +AC+C | X | |
| 8161SW014.28S+AC+C3.0 | 58 CrV 4 6kt 14,28 mm 3 m Stäbe +AC+C | X | |
| 8161SW015.00S+AC+C3.0 | 58 CrV 4 6kt 15,0 mm 3 m Stäbe +AC+C | X | |
| 8161SW015.88S+AC+C3.0 | 58 CrV 4 6kt 15,88 mm 3 m Stäbe +AC+C | X | |
| 8161SW016.00S+AC+C3.0 | 58 CrV 4 6kt 16,0 mm 3 m Stäbe +AC+C | X | |
| 8161SW017.00S+AC+C3.0 | 58 CrV 4 6kt 17,0 mm 3 m Stäbe +AC+C | X | |
| 8161SW017.00S+AC+C4.2 | 58 CrV 4 6kt 17,0 mm 4,2 m Stäbe +AC+C | X | |
| 8161SW019.00S+AC+C3.0 | 58 CrV 4 6kt 19,0 mm 3 m Stäbe +AC+C | X | |
| 8161SW022.00S+AC+C3.0 | 58 CrV 4 6kt 22,0 mm 3 m Stäbe +AC+C | X | |
| 8161SW022.00S+AC+C4.5 | 58 CrV 4 6kt 22,0 mm 4,5 m Stäbe +AC+C | X | |
| 8161SW024.00S+AC+C3.0 | 58 CrV 4 6kt 24,0 mm 3 m Stäbe +AC+C | X | |
| 8161SW027.00S+AC+C3.0 | 58 CrV 4 6kt 27,0 mm 3 m Stäbe +AC+C | X | |
| 8161SW030.00S+AC+C3.0 | 58 CrV 4 6kt 30,0 mm 3 m Stäbe +AC+C | X | |
| 8161SW032.00S+AC+C3.0 | 58 CrV 4 6kt 32,0 mm 3 m Stäbe +AC+C | X | |
| 8161VK006.35S+AC+C+A+C3.0 | 58 CrV 4 4kt 6,35 mm 3 m Stäbe +AC+C+A+C | X | |
| 8161VK007.00S+A+CR3.0 | 58 CrV 4 4kt 7,00 mm 3 m-Stäbe, +A+CR+A+CR | X | |
| 8161VK010.00S+AC+C+A+C3.0 | 58 CrV 4 4kt 10,0 mm 3 m-Stäbe, +AC+C+A+C | X | |
| 8161VK012.70S+AC+C+A+C3.0 | 58 CrV 4 4kt 12,7 mm 3 m-Stäbe, +AC+C+A+C | X | |
| 8161VK013.00S+AC+C+A+C3.0 | 58 CrV 4 4kt 13,0 mm 3 m-Stäbe, +AC+C+A+C | X | |
| 8161VK019.05S+AC+C+A+C3.0 | 58 CrV 4 4kt 19,05 mm 3 m-Stäbe, +AC+C+A+C | X | |